

48 RANGE

FLUSH-MOUNTING JUNCTION BOXES AND MODULAR RANGE BOXES

CHARACTERISTICS AND ADVANTAGES

A BOX FOR EVERY APPLICATION NEED

48 range boxes are ideal for making main and secondary branches also in highly electrified systems.

48 RANGE

48 PT RANGE

Available in as many as 11 sizes for both domestic and commercial applications.



FULL SERVICE

A wide range of accessories and spare parts, including deep and shallow covers, both sealable and impact-resistant. Partitions, terminal blocks.



IMQ PRODUCT CERTIFICATION .



48 CM RANGE

Depth of 121 mm offers ample space. Suitable for cable ducts along service pipes in the domestic and commercial sectors.



48 PTC RANGE

Includes boxes, enclosures and combined board. Ease of assembly, a wide range of dedicated accessories and IP 55 protection class, make them ideal for specialised installations in the advanced commercial sector.

48 RANGE

FLUSH-MOUNTING JUNCTION BOXES AND MODULAR RANGE BOXES



CHARACTERISTICS AND ADVANTAGES

48 RANGE APPLICATIONS

		RESIDENTIAL	COMMERCIAL	RENOVATION	SPECIAL ENVIRONMENTS	COMMERCIAL SECTOR
Boxes	Type					
48 CM Range high capacity boxes for uprights	 SHALLOW COVER		Their depth makes wiring easy even in highly electrified installations.			
	 DEEP COVER		Suitable for switching from buried to exposed system. Use of partitions allows multiline operation (FM, TV, intercom etc.) inside the same box.			
48 PT range standard boxes	 SHALLOW COVER	The flush-fitting cover, possibility to subdivide into compartments and the huge range of sizes available make installation easy in all situations.				
	 DEEP COVER		Deep covers, supplied as accessories, allow conversion from buried to exposed installations and are therefore ideal when renovating			
48 PTC range modular boxes	 IP 40	The range's modularity, based on three versions, enables multiple solutions by simply assembling the boxes either horizontally or vertically.				
	 IP 55	Sealable covers enable waterproof installations with IP55 rating.				
48 range box suitable for thin walls	 IP 40					Made of high-quality materials with high self-extinguishing capacity

48 RANGE

48 PTC - MODULAR BOXES FOR JUNCTION CONTROL AND DISTRIBUTION


THE IDEAL SOLUTION FOR ALL REQUIREMENTS

- IP 40/IP 55 covers with high impact resistance
- Horizontal and vertical assembly
- A full range of products: boxes, enclosures and board

EASY IDENTIFICATION OF CIRCUITS

With the stickers supplied.

FLUSH-MOUNTING MODULAR SYSTEM



INTERNAL CIRCUITS CAN BE SEPARATED

With compartment separators.

QUICK AND EASY INSTALLATION OF TERMINAL BLOCKS

Thanks to terminal block supports.

FITTED FOR ANTI-TAMPERING SEALS

Using sealable screws.



MAXIMUM MODULARITY

Using GW 48 026 couplings it is possible to obtain horizontal and vertical banks.