


FLUSH-MOUNTING BOXES


RECTANGULAR BOXES FOR DOMOTICA



GW24237

HIGH-CAPACITY RECTANGULAR BOXES FOR MODULAR RANGES UP TO 25 X 45 MM AND FOR DOMOTICA					
Code	Description	Supp. fixing centre dist.	Prearranged compartment	External Dim. LxHxD (mm)	Pack Carton
GW 24 303	3 gang with mortar guard	83.5 mm	3	119 x 80 x 50	5/165
GW 24 304	4 gang with mortar guard	108.5 mm	4	144 x 85 x 50	5/135
GW 24 306	6 gang with mortar guard	100 mm	6	194 x 90 x 50	3/36
GW 24 237	8 gang (4+4)	108.5 mm	2	131 x 129 x 53	2/24
GW 24 238	12 gang (6+6)	163.5 mm	2	186 x 132 x 53	2/24
GW 24 239	18 gang (6+6+6)	163.5 mm	3	186 x 190 x 65	2/16

ACCESSORIES SUPPLIED: GW24237, GW24238, GW24239, functional dividers.
NOTE: GW24239 only for assembly PLAYBUS devices.



GW24321

FUNCTIONAL DIVIDER FOR HIGH-CAPACITY RECTANGULAR BOXES		
Code	For flush-mounting enclos.	Pack Carton
GW 24 321	GW24303 GW24304 GW24306	200

APPLICATIONS: to separate circuits at different voltages.



GW24328

JOINTING ELEMENT FOR COMBINATION MOUNTING OF HIGH CAPACITY RECTANGULAR BOXES		
Code	For flush-mounting enclos.	Pack Carton
GW 24 328	GW24303 GW24304 GW24306	200

APPLICATIONS: for horizontal / vertical composition of boxes with 3 / 4 / 6 gang.

CONVENTIONAL RECTANGULAR BOXES



GW24203

RECTANGULAR BOXES FOR CONVENTIONAL MODULAR RANGES WITH METAL FIXING INSERTS				
Code	Description	Supp. fixing centre dist.	External Dim. LxHxD (mm)	Pack Carton
GW 24 203	3 gang	83.5 mm	104 x 68 x 50	10/500
GW 24 204	3 gang	83.5 mm	104 x 66 x 48	10/240
GW 24 205	4 gang	108.5 mm	128 x 68 x 50	10/170
GW 24 236	6 gang	100 mm	186 x 76 x 53	3/36
GW 24 206	6 gang (3+3)	83.5 mm	108 x 124 x 50	5/150

GW24204, box with plastic fixing columns.
 GW24203 Shipping on one-way pallets size 1200x800 mm composed of 9 cartons.



GW24207

HIGH-CAPACITY RECTANGULAR BOXES WITH ADJUSTABLE DEPTH FIXING INSERTS- GLOW WIRE TEST 850°C				
Code	Description	Supp. fixing centre dist.	External Dim. LxHxD (mm)	Pack Carton
GW 24 207	3 gang	83.5 mm	110 x 64 x 48	5/200
GW 24 245	4 gang	108.5 mm	137 x 66 x 48	2/108
GW 24 246	6 gang	100 mm	185 x 72 x 52	2/80

SQUARE BOXES



GW24231

SQUARE FLUSH-MOUNTING BOXES				
Code	Description	Supp. fixing centre dist.	External Dim. LxHxD (mm)	Pack Carton
GW 24 231	2 gang sectional	60 mm	70 x 70 x 50	5/200


Supplied without fixing screws.
CHARACTERISTICS: GW24231, fitted for multiple horizontal/vertical composition, with centre distance of 71 mm between the boxes.

24 SC RANGE

FLUSH AND SURFACE MOUNTING BOXES FOR DOMESTIC RANGES



ROUND BOXES



GW24232

ROUND FLUSH-MOUNTING BOX

Code	Description	Supp. fixing centre dist.	Dimension (mm)	Pack Carton
GW 24 232	Modular round	60 mm	Ø 60 x 42	5/200
GW 24 233	Base/unit spacer Spacer for column at 91 mm			20/200

Supplied without fixing screws.

CHARACTERISTICS: GW24231, fitted for single or double installation, with centre distance composition of 71 mm (or 91 mm with the special spacer available as accessory).



GW24208

ROUND FLUSH-MOUNTING BOXES

Code	Description	Dimension (mm)	Pack Carton
GW 24 208	Conical	Ø 65 x 41	10/270
GW 24 209	Cylindrical	Ø 65 x 38	312
GW 24 210	Cylindrical	Ø 85 x 42	152



GW24234

ROUND FLUSH-MOUNTING BOXES Ø 65 MM FOR LIGHT WALLS

Code	Description	Supp. fixing centre dist.	Dimension (mm)	Pack Carton
GW 24 234	Round	60 mm	Ø 65 x 45	5/200

TELEPHONE SYSTEMS BOXES




GW24221

FLUSH-MOUNTING BOX FOR TELEPHONE SYSTEMS - IVORY LID

Code	Type of installation	External Dim. LxHxD (mm)	Pack Carton
GW 24 221	Conventional	68 x 68 x 30	280
GW 24 222	Prefabricated	68 x 68 x 40	5/160

CHARACTERISTICS: entries for conduits Ø 20mm.



GW24223

BOX FIXING POSITIONER FOR PREFABRICATED INSTALLATIONS

Code	For box	External Dim. LxHxD (mm)	Pack Carton
GW 24 223	GW24222	68 x 68 x 23	200

SURFACE-MOUNTING BOXES

PLAYBUS / SYSTEM RANGES BOXES



GW32431

SURFACE-MOUNTING BOXES

Code	Colour	For trunking dim. (mm)	For conduits max. Ø (mm)	Pack Carton
SUITABLE FOR: 1/2/3 GANG PLAYBUS AND VIRNA				
GW 32 431	Cloud white	15x17 / 22x10 / 25x17	16 - 20	3/60
GW 32 432	Toner black	15x17 / 22x10 / 25x17	16 - 20	3/60
SUITABLE FOR: 4+4 GANG PLAYBUS				
GW 32 436	Cloud white	15x17 / 22x10 / 25x17 / 40x20	16 - 20	3/51
GW 32 437	Toner black	15x17 / 22x10 / 25x17 / 40x20	16 - 20	3/51

CHARACTERISTICS: fitted for the fixing of earth terminal GW26407.



GW22471

SURFACE-MOUNTING BOXES FOR TOP SYSTEM PLATES

Code	Colour	For trunking dim. (mm)	For conduits max Ø (mm)	Pack Carton
SUITABLE FOR: 1/2/3 GANG TOP SYSTEM				
GW 22 471	Cloud white	14x8,5 30x13 20x10	16 - 20 - 25	3/60
SUITABLE FOR: 4 GANG TOP SYSTEM				
GW 22 472	Cloud white	14x8,5 30x13 20x10	16 - 20 - 25	3/30



GW24006

SURFACE-MOUNTING BOXES FOR SELF-BEARING COMPACT PLATES

Code	Colour	For trunking dim. (mm)	For conduits max Ø (mm)	Pack Carton
SUITABLE FOR: 1/2/3 GANG COMPACT				
GW 24 006	Cloud white	14x8,5 20x10 30x13	16 - 20 - 25	3/60
SUITABLE FOR: 3+3 GANG COMPACT				
GW 24 007	Cloud white	14x8,5 30x13 20x10	16 - 20 - 25	3/30

CHARACTERISTICS: fitted for fixing the earth terminal GW26407.



NP40432

UNIVERSAL DEVICE BOXES FOR SUPPORTS/PLATES - STANDARD ITALIAN

Code	No. gangs	Configuration	Installable support./plates	Colour	Pack Carton
NP 40 432	3		Central axis 83.5 mm	White RAL 9010	10
NP 40 438	4		Central axis 108.5 mm	White RAL 9010	10
NP 40 444	12	6+6 overlapping	Central axis 163 mm	White RAL 9010	5
NP 40 434	3		Central axis 83.5 mm	Anthracite RAL 7021	10
NP 40 440	4		Central axis 108.5 mm	Anthracite RAL 7021	10
NP 40 446	12	6+6 overlapping	Central axis 163 mm	Anthracite RAL 7021	5

Suited for skirting and framing trunking.

CHARACTERISTICS: in combination with the relevant support allows the PLAYBUS/SYSTEM range of plates to be installed.

ECO60 RANGE BOXES



GW34591

SURFACE-MOUNTING BOXES FOR ECO 60 PLATES - IP40

Code	Description	Colour	External Dim. LxHxD (mm)	Pack Carton
GW 34 591	Single box	Cloud white	86 x 86 x 45	1/50
GW 34 592	Single box	Grey RAL 7035	86 x 86 x 45	1/50



GW34596

SURFACE-MOUNTING BOXES FOR WATERTIGHT ECO60 PLATES - IP55

Code	Description	Colour	External Dim. LxHxD (mm)	Pack Carton
GW 34 596	Single box	Cloud white	95 x 95 x 45	1/50
GW 34 597	Single box	Grey RAL 7035	95 x 95 x 45	1/50

COMPLEMENTARY ITEMS

FUNCTIONAL DIVIDERS IN METAL FOR MODULAR, FLUSH-MOUNTING CONTAINERS

Code	For enclosures	Pack Carton
GW 24 322	GW24237	10/100
GW 24 323	GW24238	10/100
GW 24 324	GW24239	10/100

NP40421



FUNCTIONAL DIVIDERS FOR MODULAR CONTAINERS FOR WALL-MOUNTING

Code	Material	For enclosures	Pack Carton
NP 40 421	Plastic	NP40444 NP40446	10/100
NP 40 422	Metal	NP40444 NP40446	10/100

GW24227



DEEP LIDS FOR 3-GANG FLUSH-MOUNTING RECTANGULAR BOXES TO INTERFACE BETWEEN SURFACE AND FLUSH INSTALLATIONS - IP40

Code	Description	Colour	Pack Carton
GW 24 227	Blank lid	Cloud white	5/50
GW 24 228	Device frame	Cloud white	5/50

The deep lids permit extension of system by deriving other points for drawing and controlling power from a rectangular 3 gang flush-mounting box.

The unwindowed version GW24228 permits installation of frames and plates with up to 3 gang.

CHARACTERISTICS: for trunking, measurements 15x17 - 22x10 - 25x17mm.

GW24211



BLANK PLATES FOR RECTANGULAR FLUSH-MOUNTING BOXES

Code	Description	Configuration	Fixing	Colour	Pack Carton
GW 24 211	3 gang		With screw	Cloud white	1/120
GW 24 212	3 gang		With screw	Toner black	1/120
GW 24 213	4 gang		With screw	Cloud white	1/60
GW 24 214	4 gang		With screw	Toner black	1/60
GW 24 215	6 gang	3+3 overlapping	With screw	Cloud white	1/60
GW 24 216	6 gang	3+3 overlapping	With screw	Toner black	1/60

ACCESSORIES SUPPLIED: self-tapping screws for fixing.

GW24218



LIDS FOR ROUND FLUSH-MOUNTING BOXES

Code	Description	Colour	Fixing	Pack Carton
GW 24 218	Ø 65 mm	White	With expansion	50/400
GW 24 220	Ø 85 mm	White	With expansion	50/600

GW24224



SPECIAL SELF-TAPPING SCREWS FOR FIXING SUPPORTS AND COMPACT SELF-SUPPORTING PLATES

Code	Dimension (mm)	Suitable for	Pack Carton
GW 24 224	TC 3.5x17	Wood, plastic, aluminium	500/7000
GW 24 225	TC 3.5x30	wall edge Walled boxes under	300/4200

NEW

TECHNICAL CHARACTERISTICS FROM PAGE 338