

28 SPIC RANGE

PLUGS, SOCKETS AND ADAPTORS FOR DOMESTIC AND SIMILAR USES



PLUGS AND CONNECTORS

PLUGS



GW28003

STRAIGHT PLUGS - ITALIAN STANDARD - 250V~

Code	No. poles	Rated current (A)	Type	Colour	Pack Carton
GW 28 003	2P+E	10	S11	White	25/250
GW 28 004	2P+E	10	S11	Slate	25/250
GW 28 005	2P+E	16	S17	White	25/150
GW 28 006	2P+E	16	S17	Slate	25/150



GW28007

90° ANGLE PLUG - ITALIAN STANDARD - 250V~

Code	No. poles	Rated current (A)	Type	Colour	Pack Carton
GW 28 007	2P+E	10	SPA11	White	25/150
GW 28 008	2P+E	10	SPA11	Slate	25/150
GW 28 009	2P+E	16	SPA17	White	25/250
GW 28 010	2P+E	16	SPA17	Slate	25/250

GW28009 - GW28010: check extractability for side socket-outlets.



GW28011

STRAIGHT PLUGS - GERMAN/FRENCH STANDARD - 250V~

Code	No. poles	Rated current (A)	Colour	Pack Carton
GW 28 011	2P+E	10 - 16	White	25/175
GW 28 013	2P+E	10 - 16	Black	25/175

Plug with double earthing contact (German standard side and French standard middle).



GW28012

90° ANGLE PLUG - GERMAN/FRENCH STANDARD - 250V~

Code	No. poles	Rated current (A)	Colour	Pack Carton
GW 28 012	2P+E	10 - 16	White	25/175

Plug with double earthing contact (German standard side and French standard middle).

CONNECTORS



GW28203

ITALIAN STANDARD CONNECTORS WITH SAFETY SHUTTERS - 250V~

Code	No. poles	Rated current (A)	Type	Colour	Pack Carton
GW 28 203	2P+E	10	P11	White	25/250
GW 28 204	2P+E	10	P11	Slate	25/250
GW 28 205	2P+E	10 - 16	Dual amperage P17-11	White	25/150
GW 28 206	2P+E	10 - 16	Dual amperage P17-11	Slate	25/150

ADAPTORS AND PORTABLE SOCKET-OUTLETS

MULTI-WAY ADAPTORS AND SOCKET-OUTLETS

Code	Plug type	2-WAYS ITALIAN STANDARD ADAPTORS WITH SAFETY SHUTTERS - 250V~ - 1500W		Colour	Pack Carton
		Socket-outlet type	Socket-outlet type		
GW 28 401	2P+T 10A (S11)	10A (P11)	10A (P11)	White	45/90
GW 28 402	2P+T 10A (S11)	10A (P11)	10A (P11)	Black	45/90
GW 28 403	2P+T 16A (S17)	16A d.a. (P17/11)	16A d.a. (P17/11)	White	30/180
GW 28 404	2P+T 16A (S17)	16A d.a. (P17/11)	16A d.a. (P17/11)	Black	30/180

Code	Plug type	3-WAYS ITALIAN STANDARD ADAPTORS WITH SAFETY SHUTTERS - 250V~ - 1500W		Colour	Pack Carton
		Socket-outlet type	Socket-outlet type		
GW 28 405	2P+T 10A (S11)	10A (P11)	10A (P11)	White	25/200
GW 28 406	2P+T 10A (S11)	10A (P11)	10A (P11)	Black	25/200
GW 28 407	2P+T 16A (S17)	16A d.a. (P17/11)	16A d.a. (P17/11)	White	25/200
GW 28 408	2P+T 16A (S17)	16A d.a. (P17/11)	16A d.a. (P17/11)	Black	25/200

Code	Plug type	2-WAYS ITALIAN STANDARD ADAPTORS AND 1-WAY ITALIAN/GERMAN STANDARD ADAPTORS 250V~ - 1500W		Colour	Pack Carton
		Socket-outlet type	Socket-outlet type		
GW 28 413	2P+T 10A (S11)	16 A (P30)	10 A (P11)	White	20/120
GW 28 414	2P+T 16A (S17)	16 A (P30) Biv. (P30-P17)	16 A d.a. (P17/11)	White	20/120

16 A socket-outlet (P30) with side and central earthing.

Code	Plug type	1-WAY ITALIAN STANDARD ADAPTORS WITH SAFETY SHUTTERS - 250V~ - 1500W		Colour	Pack Carton
		Socket-outlet type	Socket-outlet type		
GW 28 411	2P+T 16A (S17)	10A (P11)	10A (P11)	White	25/150
GW 28 412	2P+T 16A (S17)	10A (P11)	10A (P11)	Black	25/150

Code	Plug type	1-WAY ITALIAN/GERMAN STANDARD ADAPTORS WITH SAFETY SHUTTERS - 250V~ - 1500W		Colour	Pack Carton
		Socket-outlet type	Socket-outlet type		
GW 28 409	2P+T 10A (S11)	16A (P30)	16A (P30)	White	15/150
GW 28 410	2P+T 16A (S17)	16A (P30)	16A (P30)	White	15/150

Socket-outlet with side and central earthing.

Code	Plug type	1-WAY ITALIAN/GERMAN STANDARD ADAPTORS WITH SAFETY SHUTTERS - 250V~ - 1500W		Colour	Pack Carton
		Socket-outlet type	Socket-outlet type		
GW 28 415	2P+E 16A German stand.	16A dual amp. (P17/11)	16A dual amp. (P17/11)	White	15/150

Code	Plug type	PORTABLE MULTIPLE ITALIAN STANDARD SOCKET-OUTLET - 6-WAYS WITH 1.5 M CABLE AND STRAIGHT PLUG 2P+E - 16A - 250V~ - 1500W		Colour	Pack Carton
		No. of s/outlets	Socket-outlet type		
GW 28 601	2P+T 16A (S17)	6	16A d.a. (P17/11)	White	1/20

CHARACTERISTICS: cable in PVC type H05VV-F section 3x1.5 mm².

28 SPIC RANGE

PLUGS, SOCKETS AND ADAPTORS FOR DOMESTIC AND SIMILAR USES



GW28611



PORTABLE MULTIPLE ITALIAN/GERMAN STANDARD SOCKET-OUTLET - 4-WAYS

WITH 1.5 M CABLE AND STRAIGHT PLUG 2P+E - 16A - 250V~ - 1500W

Code	Plug type	No. of s/outlets	Socket-outlet type	Colour	Pack Carton
GW 28 611	2P+T 16A (S17)	4	16A dual amp. (P30 - P17)	White	1/20

CHARACTERISTICS: socket-outlet with side and central earthing. Cable in PVC type H05VV-F section 3x1.5 mm².

GW28621



PORTABLE MULTIPLE ITALIAN/GERMAN STANDARD SOCKET-OUTLET - 4-WAYS

WITH 1.5 M CABLE AND 90° PLUG 2P+E - 16A - GERMAN STANDARD - 250V~ - 1500 W

Code	Plug type	No. of s/outlets	Socket-outlet type	Colour	Pack Carton
GW 28 621	2P+E 16A German stand.	4	16A dual amp. (P30 - P17)	White	1/20

CHARACTERISTICS: socket-outlet with side and central earthing. Cable in PVC type H05VV-F section 3x1.5 mm².