


## 68 Q-BOX - WIRED FINAL DISTRIBUTION BOARD

### Q-BOX 4 WITH TERMINAL BLOCK - IP55



GW68511

#### Q-BOX 4-63 FINAL DISTRIBUTION BOARDS WITH SUPPLY TERMINAL BLOCK

Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Socket-out 2P+E 32A	Pack Carton
GW 68 511	3		1	1
GW 68 512	2	3		1

**PROTECTIONS:**

**GW68511**

General miniature circuit breaker 2P 63A - General residual current device 2P 63A 0.03A class AC  
3 MTC 2P 16A circuit breakers for the 3 socket-outlets 2P+E 16A 230V  
1 MTC 2P 32A circuit breaker for the socket-outlet 2P+E 32A 230V


**GW68512**

General knife switch 4P 63A - General residual current device 4P 63A 0.03A class AC  
1 MTC 2P 16A circuit breaker for the 2 non-interlocked socket-outlets 2P+E 16A 230V  
3 MTC 3P 16A circuit breakers for the 3 socket-outlets 3P+E 16A 400V

**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.

#### Q-BOX 4-80 FINAL DISTRIBUTION BOARDS WITH SUPPLY TERMINAL BLOCK



GW68513

Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Socket-out 3P+N+E 16A	Socket-out 3P+T 32A	Socket-out 3P+N+E 32A	Pack Carton
GW 68 513	2	2		1		1
GW 68 514	2	1	1		1	1

**PROTECTIONS:**

**GW68513**

General knife switch 4P 80A - General residual current device 4P 80A 0.03A class AC  
1 MTC 2P 16A circuit breaker for the 2 non-interlocked socket-outlets 2P+E 16A 230V  
2 MTC 3P 16A circuit breakers for the 2 socket-outlets 3P+E 16A 400V  
1 MTC 3P 32A circuit breaker for the socket-outlet 3P+E 32A 400V


**GW68514**

General knife switch 4P 80A - General residual current device 4P 80A 0.03A class AC  
1 MTC 2P 16A circuit breaker for the 2 non-interlocked socket-outlets 2P+E 16A 230V  
1 MTC 3P 16A circuit breaker for the socket-outlet 3P+E 16A 400V  
1 MTC 4P 16A circuit breaker for the socket-outlet 3P+N+E 16A 400V  
1 MTC 4P 32A circuit breaker for the socket-outlets 3P+N+E 32A 400V

**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.

### Q-BOX 4 WITH FIXED PLUG - IP55



GW68481

#### Q-BOX 4-40 FINAL DISTRIBUTION BOARDS WITH FIXED SUPPLY PLUG 3P+N+E - 32A

Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Pack Carton
GW 68 481	3	1	1
GW 68 482	2	2	1

**PROTECTIONS:**

**GW68481**

General knife switch 4P 40A - General residual current device 4P 40A 0.03A class AC  
1 MTC 2P 16A circuit breaker for the 3 socket-outlets 2P+E 16A 230V  
1 MTC 3P 16A circuit breaker for the socket-outlet 3P+E 16A 400V

**GW68482**

General knife switch 4P 40A - General residual current device 4P 40A 0.03A class AC  
1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V

**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.

GW68483



## Q-BOX 4-63 FINAL DISTRIBUTION BOARDS WITH FIXED SUPPLY PLUG 3P+N+E - 63A

Code	Socket-out 2P+E	Socket-out 3P+E	Socket-out 3P+N+E	Socket-out 3P+T	Socket-out 3P+N+E	Pack Carton
	16A	16A	16A	32A	32A	
GW 68 483	2	2		1		1
GW 68 484	2	1	1		1	1

### GW68483

General knife switch 4P 63A - General residual current device 4P 63A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 non-interlocked socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V  
 1 MTC 3P 32A circuit breaker for the socket-outlet 3P+E 32A 400V

### GW68484

General miniature circuit breaker 4P 63A - General residual current device 4P 63A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 non-interlocked socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the socket-outlet 3P+E 16A 230V  
 1 MTC 4P 16A circuit breaker for the socket-outlet 3P+N+E 16A 400V  
 1 MTC 4P 32A circuit breaker for the socket-outlets 3P+N+E 32A 400V

**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.

## Q-BOX 6 WITH TERMINAL BLOCK - IP55

GW68493



## Q-BOX 6-80 FINAL DISTRIBUTION BOARDS WITH SUPPLY TERMINAL BLOCK

Code	Socket-out 2P+E	Socket-out 3P+E	Socket-out 3P+N+E	Socket-out 3P+T	Socket-out 3P+N+E	Pack Carton
	16A	16A	16A	32A	32A	
GW 68 491	2		2		2	1
GW 68 494	2	2		2		1
GW 68 492	2	1	1	1	1	1
GW 68 493	3	2		1		1

### PROTECTIONS:

#### GW68491

General miniature circuit breaker 4P 80A - General residual current device 4P 80A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
 1 MTC 4P 16A circuit breaker for the 2 socket-outlets 3P+N+E 16A 400V  
 2 MTC 4P 32A circuit breakers for the 2 socket-outlets 3P+N+E 32A 400V

#### GW68494

General miniature circuit breaker 4P 80A - General residual current device 4P 80A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V  
 2 MTC 3P 32A circuit breakers for the 2 socket-outlets 3P+E 32A 400V

#### GW68492

General knife switch 4P 80A - General residual current device 4P 80A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
 1 MTC 4P 16A circuit breaker for the 2 socket-outlets 3P+E e 3P+N+E 16A 400V  
 1 MTC 3P 32A circuit breaker for the socket-outlet 3P+E 32A 400V  
 1 MTC 4P 32A circuit breaker for the socket-outlets 3P+N+E 32A 400V

#### GW68493

General knife switch 4P 80A - General residual current device 4P 80A 0.03A class AC  
 2 MTC 2P 16A circuit breakers for the 3 socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V  
 1 MTC 3P 32A circuit breaker for the socket-outlet 3P+E 32A 400V

**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.

GW68496



## Q-BOX 6-100 FINAL DISTRIBUTION BOARDS WITH SUPPLY TERMINAL BLOCK

Code	Socket-out 2P+E	Socket-out 3P+E	Socket-out 3P+N+E	Socket-out 3P+N+T	Pack Carton
	16A	16A	32A	63A	
GW 68 495	2	1	3		1
GW 68 496	3		2	1	1

TO BE CONTINUED ON NEXT PAGE

(TO BE CONTINUED)

### Q-BOX 6-100 FINAL DISTRIBUTION BOARDS WITH SUPPLY TERMINAL BLOCK

Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Socket-out 3P+N+E 32A	Socket-out 3P+N+T 63A	Pack Carton
GW 68 497	2		2	2	1

**PROTECTIONS:**

**GW68495**

General miniature circuit breaker 4P 100A - General residual current device 4P 100A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the socket-outlet 3P+E 16A 400V  
 3 MTC 4P 32A circuit breakers for the 3 socket-outlets 3P+N+E 32A 400V

**GW68496**

General miniature circuit breaker 4P 100A - General residual current device 4P 100A 0.03A class AC  
 2 MTC 2P 16A circuit breakers for the 3 socket-outlets 2P+E 16A 230V  
 2 MTC 4P 32A circuit breakers for the 2 socket-outlets 3P+N+E 32A 400V  
 1 MT 4P 63A circuit breaker for the socket-outlet 3P+N+E 63A 400V

**GW68497**

General miniature circuit breaker 4P 100A - General residual current device 4P 100A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
 2 MTC 4P 32A circuit breakers for the 2 socket-outlets 3P+N+E 32A 400V  
 1 MT 4P 63A circuit breaker for the 2 socket-outlets 3P+N+E 63A 400V

**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers and MT standard miniature circuit breakers are C curve 6kA.

68 ASC RANGE

## Q-BOX 6 WITH FIXED PLUG - IP55



GW68473

### Q-BOX 6-40 FINAL DISTRIBUTION BOARDS WITH FIXED SUPPLY PLUG 3P+N+E 32A



Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Pack Carton
GW 68 473	3	3	1

**PROTECTIONS:**

General knife switch 4P 40A - General residual current device 4P 40A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 3 socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the 3 socket-outlets 3P+E 16A 400V


**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.



GW68471

### Q-BOX 6-63 FINAL DISTRIBUTION BOARDS WITH FIXED SUPPLY PLUG 3P+N+E 63A



Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Socket-out 3P+N+E 16A	Socket-out 3P+T 32A	Socket-out 3P+N+E 32A	Pack Carton
GW 68 471	3	2		1		1
GW 68 472	2	3		1		1
GW 68 474	2		2		2	1

**PROTECTIONS:**

**GW68471**

General knife switch 4P 63A - General residual current device 4P 63A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 3 socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V  
 1 MTC 3P 32A circuit breaker for the socket-outlet 3P+E 32A 400V

**GW68472**

General knife switch 4P 63A - General residual current device 4P 63A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
 1 MTC 3P 16A circuit breaker for the 3 socket-outlets 3P+E 16A 400V  
 1 MTC 3P 32A circuit breaker for the socket-outlet 3P+E 32A 400V

**GW68474**

General knife switch 4P 63A - General residual current device 4P 63A 0.03A class AC  
 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V  
 1 MTC 4P 16A circuit breaker for the 2 socket-outlets 3P+N+E 16A 400V  
 1 MTC 4P 32A circuit breaker for the 2 socket-outlets 3P+N+E 32A 400V

**ACCESSORIES SUPPLIED:** socket-outlet/plug locking device.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.

## COMPLEMENTARY ITEMS



GW68463

### TUBULAR METAL SUPPORT PAINTED IN WARNING YELLOW FOR Q-BOX 4/6

Code	External Dim. LxHxD (mm)	Pack Carton
GW 68 463	1100 x 1650 x 630	1

**CHARACTERISTICS:** 2 side handles for manual handling; 2 slots on the top for lifting with a crane.

## 68 Q-DIN - WIRED BOARDS

### Q-DIN 4 - PORTABLE BOARDS



GW68217

### WATERTIGHT Q-DIN 4 ACS BOARD EQUIPPED WITH CABLE AND IEC 309 PLUG - IP55



Code	Socket-out 2P+E 16A	Pack Carton
GW 68 217	3	1/3

**PROTECTIONS:**

1 residual current circuit breaker type C 6kA 2P 16A - 0.03A class AC

**ACCESSORIES SUPPLIED:** 5 m of cable H 07 RN - F for connection to the mains and plug IEC 309 2P+E 16A 230V IP 67.



GW68223

### WATERTIGHT Q-DIN 4 ACS BOARD EQUIPPED WITH CABLE AND IEC 309 PLUG - IP55 WARNING YELLOW SHOCKPROOF CASE



Code	Socket-out 2P+E 16A	Pack Carton
GW 68 223	3	1/2

**PROTECTIONS:**

1 residual current circuit breaker type C 6kA 2P 16A - 0.03A class AC

**ACCESSORIES SUPPLIED:** 5 m of cable H 07 RN - F for connection to the mains and plug IEC 309 2P+E 16A 230V IP 67.

### Q-DIN 8 - PORTABLE BOARDS



GW68203

### Q-DIN 8 ACS PROTECTED BOARD EQUIPPED WITH CABLE AND PLUG IEC 309 - IP44



Code	Socket-out 2P+E 16A	Domestic Socket-out 10/16A	Pack Carton
GW 68 203	2	2	1/3

**PROTECTIONS:**

1 residual current circuit breaker type C 6kA 2P 16A - 0.03A class AC


**ACCESSORIES SUPPLIED:** 5 m of cable H 07 RN - F for connection to the mains and plug IEC 309 2P+E 16A 230V IP 44.

**CHARACTERISTICS:** Italian German standard socket-outlets with side earth and plug pins Ø 4.8 mm.



GW68204

### Q-DIN 8 ACS PROTECTED WATERTIGHT BOARD EQUIPPED WITH CABLE AND PLUG IEC 309 - IP55



Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Pack Carton
GW 68 204	2	2	1/2

**PROTECTIONS:**

1 residual current circuit breaker type C 6kA 4P 16A - 0.03A class AC.

**ACCESSORIES SUPPLIED:** 5 m of cable H 07 RN - F for connection to the mains and plug IEC 309 3P+N+E 16A 400V IP 67.

GW68216



### Q-DIN 8 ACS WATERTIGHT BOARD EQUIPPED WITH CABLE AND PLUG IEC 309 - IP55



Code	Socket-out 2P+E 16A	Pack Carton
GW 68 216	4	1/2

**PROTECTIONS:**


1 residual current circuit breaker type C 6kA 2P 16A - 0.03A class AC

**ACCESSORIES SUPPLIED:** 5 m of cable H 07 RN - F for connection to the mains and plug IEC 309 2P+E 16A 230V IP 67.

GW68401



### Q-DIN 8 ACS PROTECTED DISTRIBUTION BOARD WITH CABLE AND IEC 309 PLUG, TUBULAR METAL STAND PAINTED IN WARNING YELLOW AND SUPPORT FOR CABLE - IP44



Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Domestic Socket-out 10/16A	Pack Carton
GW 68 401	2	1	1	1

**PROTECTIONS:**

1 residual current circuit breaker type C 6kA 4P 16A - 0.03A class AC

**ACCESSORIES SUPPLIED:** 15 m of cable H 07 RN - F for connection to the mains and plug IEC 309 3P+N+E 16A 400V IP 44.

**CHARACTERISTICS:** Italian German standard socket-outlets with side earth and plug pins Ø 4.8 mm.

68 ASC RANGE

## Q-DIN 12 - PORTABLE ENCLOSURES

GW68412



### Q-DIN 12 ACS PROTECTED DISTRIBUTION BOARD WITH CABLE AND IEC 309 PLUG, TUBULAR METAL STAND PAINTED IN WARNING YELLOW AND SUPPORT FOR CABLE - IP44



Code	Socket-out 2P 16A/24V	Pack Carton
GW 68 412	2	1

**PROTECTIONS:**

2 knife switches 2P 16A


2 fuse holders 1P 10A

**ACCESSORIES SUPPLIED:** 20 m of cable H 07 RN - F for connection to the mains and plug IEC 309 16 A 2P+E 230V IP44.

GW68411



### Q-DIN 12 ACS PROTECTED DISTRIBUTION BOARD WITH CABLE AND IEC 309 PLUG, TUBULAR METAL CARRIER PAINTED IN WARNING YELLOW EQUIPPED WITH TWO WHEELS AND REVOLVING DRUM TO WIND UP THE CABLE - IP44



Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Domestic Socket-out 10/16A	Pack Carton
GW 68 411	2	2	2	1

**PROTECTIONS:**

General residual current device 4P 25A 0.03A class AC

1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V

1 MTC 2P 16A circuit breaker for the 2 domestic socket-outlets 2P+E 10/16A 230V

1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V

**ACCESSORIES SUPPLIED** 25 m of cable H 07 RN - F for connection to the mains and plug IEC 309 3P+N+E 16A 400V IP 44.

**CHARACTERISTICS:** Italian German standard socket-outlets with side earth and plug pins Ø 4.8 mm, the MTC compact miniature circuit breakers are C curve 6kA.

## Q-DIN 18 - PORTABLE BOARDS



GW68421

**Q-DIN 18 ACS - IP44 PROTECTED DISTRIBUTION BOARD WITH CABLE AND IEC 309 PLUG, TUBULAR METAL CARRIER PAINTED IN WARNING YELLOW EQUIPPED WITH TWO WHEELS AND REVOLVING DRUM TO WIND-UP THE CABLE**

Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Socket-out 3P+T 32A	Domestic Socket-out 10/16A	Pack Carton
GW 68 421	2	2	2	2	1

**PROTECTIONS:**

- General residual current device 4P 40A 0.03A class AC
- 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V
- 1 MTC 2P 16A circuit breaker for the 2 domestic socket-outlets 2P+E 10/16A 230V
- 1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V
- 1 MTC 3P 32A circuit breaker for the 2 socket-outlets 3P+E 32A 400V

**ACCESSORIES SUPPLIED:** 35 m of cable H 07 RN - F for connection to the mains and plug IEC 309 3P+N+E 32A 400V IP 44.

**CHARACTERISTICS:** Italian German standard socket-outlets with side earth and plug pins Ø 4.8 mm, the MTC compact miniature circuit breakers are C curve 6kA.



GW68423

**Q-DIN 18 ACS WATERTIGHT DISTRIBUTION BOARD WITH CABLE AND IEC 309 PLUG, TUBULAR METAL CARRIER PAINTED IN WARNING YELLOW EQUIPPED WITH TWO WHEELS AND REVOLVING DRUM**

Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Socket-out 3P+T 32A	Pack Carton
GW 68 422	3	1		1
GW 68 423	2	2		1
GW 68 424	2	1	1	1

**PROTECTIONS:**

**GW68422**

- General residual current device 4P 40A 0.03A class AC
- 1 MTC 2P 16A circuit breaker for the 3 socket-outlets 2P+E 16A 230V
- 1 MTC 3P 16A circuit breaker for the socket-outlet 3P+E 16A 400V

**GW68423**

- General residual current device 4P 40A 0.03A class AC
- 1 MTC 2P 16A circuit breaker for the 2 socket-outlets 2P+E 16A 230V
- 1 MTC 3P 16A circuit breaker for the 2 socket-outlets 3P+E 16A 400V

**GW68423**

- General residual current device 4P 40A 0.03A class AC
- 2 MTC 2P 16A circuit breakers for the 2 socket-outlets 2P+E 16A 230V
- 1 MTC 3P 16A circuit breaker for the socket-outlet 3P+E 16A 400V
- 1 MTC 3P 32A circuit breaker for the socket-outlet 3P+E 32A 400V

**ACCESSORIES SUPPLIED:** 25 m of cable H 07 RN - F for connection to the mains and plug IEC 309 3P+N+E 32A 400V IP 67.

**CHARACTERISTICS:** the MTC compact miniature circuit breakers are C curve 6kA.

## 66 COMBIBLOC - WIRED ENCLOSURES

### COMBIBLOC - PORTABLE DISTRIBUTION BOARDS

GW66388



COMBIBLOC ASC WEATHERPROOF DISTRIBUTION BOARDS FITTED WITH CABLE AND PLUG IEC309 TRUCK IN METAL, YELLOW-PAINTED, ACCIDENT PREVENTION TUBE AND CABLE SUPPORT - IP55

Code	Socket-out 2P+E 16A	Socket-out 3P+N+E 16A	Socket-out 3P+N+E 32A	Pack Carton	
GW 66 386	2				1
GW 66 387	1	1			1
GW 66 388	2	1			1
GW 66 389	1	1		1	1

## 68 Q-MC - WIRED TERMINALS

### Q-MC 16T - PORTABLE TERMINALS

68 ASC RANGE

GW6882A



WIRED, PORTABLE DOUBLE-SIDED TAKE-OFF TERMINALS QMC 16 T ASC EQUIPPED WITH NON-INTERLOCKED SOCKET-OUTLETS - COLOUR BLU PANTONE 5415 - IP56

Code	Socket-out 2P+E 16A	Socket-out 3P+E 16A	Socket-out 3P+N+E 16A	Socket-out 3P+N+E 32A	Pack Carton
GW 68 881 A	7				1
GW 68 882 A	4	1	2		1
GW 68 883 A	4	1	1	1	1
GW 68 884 A	2	1	2	1	1

## ACS PREDETERMINED CONSTRUCTION SYSTEM COMPONENTS

### 40 CDK - UNWIRED ENCLOSURES FOR INGOING AND MEASUREMENT ASSEMBLIES

GW40103



ENCLOSURES PRE-FITTED FOR TERMINAL BLOCK HOUSING - SMOKED TRANSPARENT DOOR - SMOOTH WALLS - IP65

Code	No. EN 50022 modules	External Dim. LxHxD (mm)	Installable terminal blocks	Pack Carton
GW 40 103	12	298 x 260 x 140	GW40402	6

ACCESSORIES SUPPLIED: screwcaps for double insulation, module masks, service labels.

GW40113



ENCLOSURE EQUIPPED WITH TERMINAL BLOCK AND 2 INTERCHANGEABLE FLANGES SMOKED TRANSPARENT DOOR - IP65

Code	No. EN 50022 modules	External Dim. LxHxD (mm)	Terminal blocks N (mm <sup>2</sup> )	Terminal blocks Earth (mm <sup>2</sup> )	Pack Carton
GW 40 113	12	298 x 260 x 140	(3x25)+(10x10)	(3x25)+(10x10)	6

ACCESSORIES SUPPLIED: screwcaps for double insulation, module masks, service labels.

Compliance with standard IEC 60439-1 can be achieved with the use of GW44621 screwcaps or resin fixing brackets.

### 68 Q-BOX - UNWIRED FINAL DISTRIBUTION BOARD

GW68465



Q-BOX 4 UNWIRED DISTRIBUTION BOARDS - IP55

Code	Supplied earth term. block (7 x 10 mm <sup>2</sup> )	No. EN 50022 modules	Pack Carton
GW 68 465		12	1

# 68 ASC RANGE

DISTRIBUTION BOARD SYSTEM FOR ASC CONSTRUCTION SITES

**GEWISS**

GW68466



## Q-BOX 6 UNWIRED DISTRIBUTION BOARDS - IP55

Code	Supplied earth term. block	No. EN 50022 modules	Pack Carton
GW 68 466	(2x25mm <sup>2</sup> )+(10x10mm <sup>2</sup> )	24	1

## 68 Q-BOX - COMPLEMENTARY ITEMS

GW46451



## SET OF 4 BRACKETS FOR FIXING BOARDS TO WALLS

Code	Material	Pack Carton
GW 46 446	Galvanised steel	1/20
GW 46 451	Stainless steel	1/20

GW68504



## PUSH-BUTTON KIT FOR EMERGENCY INTERRUPTION

Code	Description	Pack Carton
GW 68 504	Push-button with retainer	1/4

GW68503



## 12-MODULE WATERTIGHT ENCLOSURE FRONT FOR Q-BOX - IP55

Code	No. EN 50022 modules	Pack Carton
GW 68 503	12	1/8

GW68505



## PLUG-SOCKET-OUTLET BLOCK

Code	Description	Pack Carton
GW 68 505	Plug/socket-outlet block	1/10

GW68463



## TUBULAR METAL SUPPORT PAINTED IN WARNING YELLOW FOR Q-BOX 4/6

Code	External Dim. LxHxD (mm)	Pack Carton
GW 68 463	1100 x 1650 x 630	1

**CHARACTERISTICS:** 2 side handles for manual handling; 2 slots on the top for lifting with a crane.

GW46445



## SECURITY LOCK WITH HANDLE

Code	Description	Pack Carton
GW 46 445	security lock safety lock key and handle	1/10

**ACCESSORIES SUPPLIED:** 2 keys. All keys are supplied with a standardized code.

68 ASC RANGE

GW46447



## DOCUMENT HOLDER POCKET IN SELF-ADHESIVE INSULATING MATERIAL WITH KIT OF BLANK LABELS

Code	Dimension (mm)	Pack Carton
GW 46 447	310x230	1/10

**CHARACTERISTICS:** the document wallet can be inserted in all Gewiss distribution boards starting with the 405x500x200 mm size.