

## 61 SL - STANDARD PLUGS - QUICK WIRING AND MOUNTING

### IP44

GW61004



#### LOW VOLTAGE QUICK MOUNTING AND WIRING PROTECTED STANDARD PLUGS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 61 001	2P+E	110 V	Yellow	4	40
GW 61 002	3P+E	110 V	Yellow	4	20
GW 61 003	3P+N+E	110 V	Yellow	4	16
GW 61 004	2P+E	230 V	Blue	6	40
GW 61 005	3P+E	230 V	Blue	9	40
GW 61 006	3P+N+E	230 V	Blue	9	16
GW 61 007	2P+E	400 V	Red	9	20
GW 61 008	3P+E	400 V	Red	6	40
GW 61 009	3P+N+E	400 V	Red	6	32
GW 61 010	3P+E	500 V	Black	7	20
GW 61 011	3P+N+E	500 V	Black	7	16

**NOTE:** all products are packaged individually.

### IP67

GW61026



#### LOW VOLTAGE QUICK MOUNTING AND WIRING WATERTIGHT STANDARD PLUGS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 61 023	2P+E	110 V	Yellow	4	20
GW 61 024	3P+E	110 V	Yellow	4	12
GW 61 025	3P+N+E	110 V	Yellow	4	12
GW 61 026	2P+E	230 V	Blue	6	40
GW 61 027	3P+E	230 V	Blue	9	12
GW 61 028	3P+N+E	230 V	Blue	9	12
GW 61 029	2P+E	400 V	Red	9	20
GW 61 030	3P+E	400 V	Red	6	24
GW 61 031	3P+N+E	400 V	Red	6	24
GW 61 032	3P+E	500 V	Black	7	12
GW 61 033	3P+N+E	500 V	Black	7	12

**NOTE:** all products are packaged individually.

## 63 SL - STANDARD CONNECTORS - QUICK WIRING AND MOUNTING

### IP44

GW63004



#### LOW VOLTAGE QUICK MOUNTING AND WIRING PROTECTED STANDARD CONNECTORS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 63 001	2P+E	110 V	Yellow	4	20
GW 63 002	3P+E	110 V	Yellow	4	20
GW 63 003	3P+N+E	110 V	Yellow	4	16
GW 63 004	2P+E	230 V	Blue	6	40
GW 63 005	3P+E	230 V	Blue	9	20
GW 63 006	3P+N+E	230 V	Blue	9	16
GW 63 007	2P+E	400 V	Red	9	20
GW 63 008	3P+E	400 V	Red	6	40
GW 63 009	3P+N+E	400 V	Red	6	32
GW 63 010	3P+E	500 V	Black	7	20
GW 63 011	3P+N+E	500 V	Black	7	16

**NOTE:** all products are packaged individually.

## IP67

GW63026



### LOW VOLTAGE QUICK MOUNTING AND WIRING WATERTIGHT STANDARD CONNECTORS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 63 023	2P+E	110 V	Yellow	4	16
GW 63 024	3P+E	110 V	Yellow	4	12
GW 63 025	3P+N+E	110 V	Yellow	4	12
GW 63 026	2P+E	230 V	Blue	6	32
GW 63 027	3P+E	230 V	Blue	9	12
GW 63 028	3P+N+E	230 V	Blue	9	12
GW 63 029	2P+E	400 V	Red	9	1/16
GW 63 030	3P+E	400 V	Red	6	24
GW 63 031	3P+N+E	400 V	Red	6	24
GW 63 032	3P+E	500 V	Black	7	12
GW 63 033	3P+N+E	500 V	Black	7	12

**NOTE:** all products are packaged individually.

## 60/61 - STANDARD PLUGS

## IP44

GW60004



### LOW VOLTAGE TRAILING PROTECTED STANDARD PLUGS - 50/60 HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 001	2P+E	110 V	Yellow	4	10/40
GW 60 002	3P+E	110 V	Yellow	4	10/20
GW 60 003	3P+N+E	110 V	Yellow	4	10/20
GW 60 004	2P+E	230 V	Blue	6	10/100
GW 60 005	3P+E	230 V	Blue	9	10/40
GW 60 006	3P+N+E	230 V	Blue	9	10/20
GW 60 007	2P+E	400 V	Red	9	10/20
GW 60 008	3P+E	400 V	Red	6	10/100
GW 60 009	3P+N+E	400 V	Red	6	10/40
GW 60 010	3P+E	500 V	Black	7	10/20
GW 60 011	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 012	2P+E	110 V	Yellow	4	8/16
GW 60 013	3P+E	110 V	Yellow	4	8/16
GW 60 014	3P+N+E	110 V	Yellow	4	8/16
GW 60 015	2P+E	230 V	Blue	6	8/32
GW 60 016	3P+E	230 V	Blue	9	8/16
GW 60 017	3P+N+E	230 V	Blue	9	8/16
GW 60 018	2P+E	400 V	Red	9	8/16
GW 60 019	3P+E	400 V	Red	6	8/32
GW 60 020	3P+N+E	400 V	Red	6	8/32
GW 60 021	3P+E	500 V	Black	7	8/16
GW 60 022	3P+N+E	500 V	Black	7	8/16

### EXTRA LOW VOLTAGE TRAILING PROTECTED STANDARD PLUGS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 60 064	2P	24 V	Violet	50 - 60 Hz	n.r.	10/40
GW 60 065	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 066	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 067	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 068	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 069	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 070	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 071	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 072	2P	24 - 42 V	White	d.c.	10	10/20

TO BE CONTINUED ON NEXT PAGE

GW60064



(TO BE CONTINUED)

**EXTRA LOW VOLTAGE TRAILING PROTECTED STANDARD PLUGS - 50/60HZ**

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 32</b>						
GW 60 073	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 074	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 075	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 076	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 077	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 078	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 079	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 080	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 081	2P	24 - 42 V	White	d.c.	10	10/20

## IP67

GW60030



**LOW VOLTAGE TRAILING WATERTIGHT STANDARD PLUGS - 50/60 HZ**

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 023	2P+E	110 V	Yellow	4	10/20
GW 60 024	3P+E	110 V	Yellow	4	10/20
GW 60 025	3P+N+E	110 V	Yellow	4	10/20
GW 60 026	2P+E	230 V	Blue	6	10/40
GW 60 027	3P+E	230 V	Blue	9	10/20
GW 60 028	3P+N+E	230 V	Blue	9	10/20
GW 60 029	2P+E	400 V	Red	9	10/20
GW 60 030	3P+E	400 V	Red	6	10/40
GW 60 031	3P+N+E	400 V	Red	6	10/40
GW 60 032	3P+E	500 V	Black	7	10/20
GW 60 033	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 034	2P+E	110 V	Yellow	4	8/16
GW 60 035	3P+E	110 V	Yellow	4	8/16
GW 60 036	3P+N+E	110 V	Yellow	4	8/16
GW 60 037	2P+E	230 V	Blue	6	8/16
GW 60 038	3P+E	230 V	Blue	9	8/16
GW 60 039	3P+N+E	230 V	Blue	9	8/16
GW 60 040	2P+E	400 V	Red	9	8/16
GW 60 041	3P+E	400 V	Red	6	8/16
GW 60 042	3P+N+E	400 V	Red	6	8/16
GW 60 043	3P+E	500 V	Black	7	8/16
GW 60 044	3P+N+E	500 V	Black	7	8/16
GW 60 145	3P+E	380 - 440 V	Red	3	8/16
<b>RATED CURRENT (A): 63</b>					
GW 61 045	2P+E	110 V	Yellow	4	2/4
GW 61 046	3P+E	110 V	Yellow	4	2/4
GW 61 047	3P+N+E	110 V	Yellow	4	2/4
GW 61 048	2P+E	230 V	Blue	6	2/4
GW 61 049	3P+E	230 V	Blue	9	2/4
GW 61 050	3P+N+E	230 V	Blue	9	2/4
GW 61 051	2P+E	400 V	Red	9	2/4
GW 61 052	3P+E	400 V	Red	6	2/4
GW 61 053	3P+N+E	400 V	Red	6	2/4
GW 61 054	3P+E	500 V	Black	7	2/4
GW 61 055	3P+N+E	500 V	Black	7	2/4
<b>RATED CURRENT (A): 125</b>					
GW 60 056	3P+E	110 V	Yellow	4	1/2
GW 60 057	3P+N+E	110 V	Yellow	4	1/2
GW 60 058	3P+E	230 V	Blue	9	1/2
GW 60 059	3P+N+E	230 V	Blue	9	1/2
GW 60 060	3P+E	400 V	Red	6	1/2
GW 60 061	3P+N+E	400 V	Red	6	1/2
GW 60 062	3P+E	500 V	Black	7	1/2
GW 60 063	3P+N+E	500 V	Black	7	1/2

## 60 - 90° ANGLED PLUGS

### IP44

GW60085



#### LOW VOLTAGE PROTECTED 90° ANGLED PLUGS - 50/60 HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 082	2P+E	110 V	Yellow	4	10/40
GW 60 083	3P+E	110 V	Yellow	4	10/20
GW 60 084	3P+N+E	110 V	Yellow	4	10/20
GW 60 085	2P+E	230 V	Blue	6	10/40
GW 60 086	3P+E	230 V	Blue	9	10/20
GW 60 087	3P+N+E	230 V	Blue	9	10/20
GW 60 088	2P+E	400 V	Red	9	10/20
GW 60 089	3P+E	400 V	Red	6	10/40
GW 60 090	3P+N+E	400 V	Red	6	10/40
GW 60 091	3P+E	500 V	Black	7	10/20
GW 60 092	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 093	2P+E	110 V	Yellow	4	8/16
GW 60 094	3P+E	110 V	Yellow	4	8/16
GW 60 095	3P+N+E	110 V	Yellow	4	8/16
GW 60 096	2P+E	230 V	Blue	6	8/16
GW 60 097	3P+E	230 V	Blue	9	8/16
GW 60 098	3P+N+E	230 V	Blue	9	8/16
GW 60 099	2P+E	400 V	Red	9	8/16
GW 60 101	3P+E	400 V	Red	6	8/16
GW 60 102	3P+N+E	400 V	Red	6	8/16
GW 60 103	3P+E	500 V	Black	7	8/16
GW 60 104	3P+N+E	500 V	Black	7	8/16

GW60127



#### EXTRA LOW VOLTAGE PROTECTED 90° ANGLED PLUGS 50/60HZ

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 60 127	2P	24 V	Violet	50 - 60 Hz	n.r.	10/40
GW 60 128	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 129	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 130	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 131	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 132	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 133	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 134	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 135	2P	24 - 42 V	White	d.c.	10	10/20
<b>RATED CURRENT (A): 32</b>						
GW 60 136	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 137	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 138	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 139	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 140	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 141	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 142	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 143	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 144	2P	24 - 42 V	White	d.c.	10	10/20

## IP67



GW60112

### LOW VOLTAGE PROTECTED 90° ANGLED TRAILING PLUGS - 50/60 HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 105	2P+E	110 V	Yellow	4	10/20
GW 60 106	3P+E	110 V	Yellow	4	10/20
GW 60 107	3P+N+E	110 V	Yellow	4	10/20
GW 60 108	2P+E	230 V	Blue	6	10/40
GW 60 109	3P+E	230 V	Blue	9	10/20
GW 60 110	3P+N+E	230 V	Blue	9	10/20
GW 60 111	2P+E	400 V	Red	9	10/20
GW 60 112	3P+E	400 V	Red	6	10/40
GW 60 113	3P+N+E	400 V	Red	6	10/40
GW 60 114	3P+E	500 V	Black	7	10/20
GW 60 115	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 116	2P+E	110 V	Yellow	4	8/16
GW 60 117	3P+E	110 V	Yellow	4	8/16
GW 60 118	3P+N+E	110 V	Yellow	4	8/16
GW 60 119	2P+E	230 V	Blue	6	8/16
GW 60 120	3P+E	230 V	Blue	9	8/16
GW 60 121	3P+N+E	230 V	Blue	9	8/16
GW 60 122	2P+E	400 V	Red	9	8/16
GW 60 123	3P+E	400 V	Red	6	8/16
GW 60 124	3P+N+E	400 V	Red	6	8/16
GW 60 125	3P+E	500 V	Black	7	8/16
GW 60 126	3P+N+E	500 V	Black	7	8/16
GW 60 146	3P+E	380 - 440 V	Red	3	8/16

## 60 - INLETS

## IP44



GW60204

### LOW VOLTAGE PROTECTED INLETS - 50/60 HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 201	2P+E	110 V	Yellow	4	10/20
GW 60 202	3P+E	110 V	Yellow	4	10/20
GW 60 203	3P+N+E	110 V	Yellow	4	10/20
GW 60 204	2P+E	230 V	Blue	6	10/20
GW 60 205	3P+E	230 V	Blue	9	10/20
GW 60 206	3P+N+E	230 V	Blue	9	10/20
GW 60 207	2P+E	400 V	Red	9	10/20
GW 60 208	3P+E	400 V	Red	6	10/20
GW 60 209	3P+N+E	400 V	Red	6	10/20
GW 60 210	3P+E	500 V	Black	7	10/20
GW 60 211	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 212	2P+E	110 V	Yellow	4	8/16
GW 60 213	3P+E	110 V	Yellow	4	8/16
GW 60 214	3P+N+E	110 V	Yellow	4	8/16
GW 60 215	2P+E	230 V	Blue	6	8/16
GW 60 216	3P+E	230 V	Blue	9	8/16
GW 60 217	3P+N+E	230 V	Blue	9	8/16
GW 60 218	2P+E	400 V	Red	9	8/16
GW 60 219	3P+E	400 V	Red	6	8/16
GW 60 220	3P+N+E	400 V	Red	6	8/16
GW 60 221	3P+E	500 V	Black	7	8/16
GW 60 222	3P+N+E	500 V	Black	7	8/16

GW60245



### EXTRA LOW VOLTAGE PROTECTED INLTES 50/60HZ

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 60 245	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 246	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 247	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 248	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 249	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 250	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 251	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 252	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 253	2P	24 - 42 V	White	d.c.	10	10/20
<b>RATED CURRENT (A): 32</b>						
GW 60 254	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 255	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 256	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 257	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 258	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 259	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 260	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 261	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 262	2P	24 - 42 V	White	d.c.	10	10/20

## IP67

GW60231



### LOW VOLTAGE INLTES - 50/60 HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 223	2P+E	110 V	Yellow	4	10/20
GW 60 224	3P+E	110 V	Yellow	4	10/20
GW 60 225	3P+N+E	110 V	Yellow	4	10/20
GW 60 226	2P+E	230 V	Blue	6	10/20
GW 60 227	3P+E	230 V	Blue	9	10/20
GW 60 228	3P+N+E	230 V	Blue	9	10/20
GW 60 229	2P+E	400 V	Red	9	10/20
GW 60 230	3P+E	400 V	Red	6	10/20
GW 60 231	3P+N+E	400 V	Red	6	10/20
GW 60 232	3P+E	500 V	Black	7	10/20
GW 60 233	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 234	2P+E	110 V	Yellow	4	8/16
GW 60 235	3P+E	110 V	Yellow	4	8/16
GW 60 236	3P+N+E	110 V	Yellow	4	8/16
GW 60 237	2P+E	230 V	Blue	6	8/16
GW 60 238	3P+E	230 V	Blue	9	8/16
GW 60 239	3P+N+E	230 V	Blue	9	8/16
GW 60 240	2P+E	400 V	Red	9	8/16
GW 60 241	3P+E	400 V	Red	6	8/16
GW 60 242	3P+N+E	400 V	Red	6	8/16
GW 60 243	3P+E	500 V	Black	7	8/16
GW 60 244	3P+N+E	500 V	Black	7	8/16
GW 60 268	3P+E	380 - 440 V	Red	3	8/16

GW60264



### WATERTIGHT CAPS FOR INLTES

Code	For inlets	Pack Carton
<b>RATED CURRENT (A): 16</b>		
GW 60 263	2P+E	10/120
GW 60 264	3P+E	10/120
GW 60 265	3P+N+E	10/80
<b>RATED CURRENT (A): 32</b>		
GW 60 266	2P+E - 3P+E	8/64
GW 60 267	3P+N+E	8/64

## 60/61 - 90° ANGLED INLTES

### IP44

GW60404



#### LOW VOLTAGE PROTECTED 90° ANGLED INLTES - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 401	2P+E	110 V	Yellow	4	10/40
GW 60 402	3P+E	110 V	Yellow	4	10/20
GW 60 403	3P+N+E	110 V	Yellow	4	10/20
GW 60 404	2P+E	230 V	Blue	6	10/40
GW 60 405	3P+E	230 V	Blue	9	10/20
GW 60 406	3P+N+E	230 V	Blue	9	10/20
GW 60 407	2P+E	400 V	Red	9	10/20
GW 60 408	3P+E	400 V	Red	6	10/40
GW 60 409	3P+N+E	400 V	Red	6	10/40
GW 60 410	3P+E	500 V	Black	7	10/20
GW 60 411	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 412	2P+E	110 V	Yellow	4	8/16
GW 60 413	3P+E	110 V	Yellow	4	8/16
GW 60 414	3P+N+E	110 V	Yellow	4	8/16
GW 60 415	2P+E	230 V	Blue	6	8/16
GW 60 416	3P+E	230 V	Blue	9	8/16
GW 60 417	3P+N+E	230 V	Blue	9	8/16
GW 60 418	2P+E	400 V	Red	9	8/16
GW 60 419	3P+E	400 V	Red	6	8/16
GW 60 420	3P+N+E	400 V	Red	6	8/16
GW 60 421	3P+E	500 V	Black	7	8/16
GW 60 422	3P+N+E	500 V	Black	7	8/16

**ACCESSORIES SUPPLIED:** Ø 20 mm cable gland for 16 A versions, Ø 23 mm cable gland for 32 A versions.

IEC 309 RANGE

GW60464



#### EXTRA LOW VOLTAGE PROTECTED 90° ANGLED INLTES 50/60HZ

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 60 464	2P	24 V	Violet	50 - 60 Hz	n.r.	10/40
GW 60 465	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 466	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 467	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 468	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 469	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 470	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 471	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 472	2P	20 - 25 V 40 - 50 V	White	d.c.	10	10/20
<b>RATED CURRENT (A): 32</b>						
GW 60 473	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 474	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 60 475	2P	42 V	White	50 - 60 Hz	12	10/20
GW 60 476	3P	42 V	White	50 - 60 Hz	12	10/20
GW 60 477	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 478	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 60 479	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 480	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 60 481	2P	24 - 42 V	White	d.c.	10	10/20

**ACCESSORIES SUPPLIED:** Ø 23 mm cable gland.

## IP67

GW60431



### LOW VOLTAGE WATERTIGHT 90° ANGLED INLTES - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 60 423	2P+E	110 V	Yellow	4	10/20
GW 60 424	3P+E	110 V	Yellow	4	10/20
GW 60 425	3P+N+E	110 V	Yellow	4	10/20
GW 60 426	2P+E	230 V	Blue	6	10/40
GW 60 427	3P+E	230 V	Blue	9	10/20
GW 60 428	3P+N+E	230 V	Blue	9	10/20
GW 60 429	2P+E	400 V	Red	9	10/20
GW 60 430	3P+E	400 V	Red	6	10/40
GW 60 431	3P+N+E	400 V	Red	6	10/20
GW 60 432	3P+E	500 V	Black	7	10/20
GW 60 433	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 60 434	2P+E	110 V	Yellow	4	8/16
GW 60 435	3P+E	110 V	Yellow	4	8/16
GW 60 436	3P+N+E	110 V	Yellow	4	8/16
GW 60 437	2P+E	230 V	Blue	6	8/16
GW 60 438	3P+E	230 V	Blue	9	8/16
GW 60 439	3P+N+E	230 V	Blue	9	8/16
GW 60 440	2P+E	400 V	Red	9	8/16
GW 60 441	3P+E	400 V	Red	6	8/16
GW 60 442	3P+N+E	400 V	Red	6	8/16
GW 60 443	3P+E	500 V	Black	7	8/16
GW 60 444	3P+N+E	500 V	Black	7	8/16
GW 60 482	3P+E	380 - 440 V	Red	3	8/16
<b>RATED CURRENT (A): 63</b>					
GW 61 445	2P+E	110 V	Yellow	4	2/4
GW 61 446	3P+E	110 V	Yellow	4	2/4
GW 61 447	3P+N+E	110 V	Yellow	4	2/4
GW 61 448	2P+E	230 V	Blue	6	2/4
GW 61 449	3P+E	230 V	Blue	9	2/4
GW 61 450	3P+N+E	230 V	Blue	9	2/4
GW 61 451	2P+E	400 V	Red	9	2/4
GW 61 452	3P+E	400 V	Red	6	2/4
GW 61 453	3P+N+E	400 V	Red	6	2/4
GW 61 454	3P+E	500 V	Black	7	2/4
GW 61 455	3P+N+E	500 V	Black	7	2/4
<b>RATED CURRENT (A): 125</b>					
GW 60 456	3P+E	110 V	Yellow	4	1/2
GW 60 457	3P+N+E	110 V	Yellow	4	1/2
GW 60 458	3P+E	230 V	Blue	9	1/2
GW 60 459	3P+N+E	230 V	Blue	9	1/2
GW 60 460	3P+E	400 V	Red	6	1/2
GW 60 461	3P+N+E	400 V	Red	6	1/2
GW 60 462	3P+E	500 V	Black	7	1/2
GW 60 463	3P+N+E	500 V	Black	7	1/2

**ACCESSORIES SUPPLIED:** cable clamp Pg 21.

## 62/63 - STANDARD CONNECTORS

### IP44

GW62004



#### LOW VOLTAGE TRAILING PROTECTED STANDARD CONNECTORS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 001	2P+E	110 V	Yellow	4	10/40
GW 62 002	3P+E	110 V	Yellow	4	10/20
GW 62 003	3P+N+E	110 V	Yellow	4	10/20
GW 62 004	2P+E	230 V	Blue	6	10/100
GW 62 005	3P+E	230 V	Blue	9	10/40
GW 62 006	3P+N+E	230 V	Blue	9	10/20
GW 62 007	2P+E	400 V	Red	9	10/20
GW 62 008	3P+E	400 V	Red	6	10/100
GW 62 009	3P+N+E	400 V	Red	6	10/40
GW 62 010	3P+E	500 V	Black	7	10/20
GW 62 011	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 62 012	2P+E	110 V	Yellow	4	8/16
GW 62 013	3P+E	110 V	Yellow	4	8/16
GW 62 014	3P+N+E	110 V	Yellow	4	8/16
GW 62 015	2P+E	230 V	Blue	6	8/32
GW 62 016	3P+E	230 V	Blue	9	8/16
GW 62 017	3P+N+E	230 V	Blue	9	8/16
GW 62 018	2P+E	400 V	Red	9	8/16
GW 62 019	3P+E	400 V	Red	6	8/32
GW 62 020	3P+N+E	400 V	Red	6	8/32
GW 62 021	3P+E	500 V	Black	7	8/16
GW 62 022	3P+N+E	500 V	Black	7	8/16

GW62066



#### EXTRA LOW VOLTAGE TRAILING PROTECTED STANDARD CONNECTORS

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 62 064	2P	24 V	Violet	50 - 60 Hz	n.r.	10/40
GW 62 065	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 066	2P	42 V	White	50 - 60 Hz	12	10/20
GW 62 067	3P	42 V	White	50 - 60 Hz	12	10/20
GW 62 068	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 069	3P	24 V	Green	100 - 200 Hz	4	10/20
GW 62 070	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 071	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 072	2P	24 - 42 V	White	d.c.	10	10/20
<b>RATED CURRENT (A): 32</b>						
GW 62 073	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 074	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 075	2P	42 V	White	50 - 60 Hz	12	10/20
GW 62 076	3P	42 V	White	50 - 60 Hz	12	10/20
GW 62 077	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 078	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 079	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 080	3P	42 V	Green	401 - 500 Hz	11	10/20
GW 62 081	2P	24 - 42 V	White	d.c.	10	10/20

## IP67

GW62027



### LOW VOLTAGE TRAILING WATERTIGHT STANDARD CONNECTORS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 023	2P+E	110 V	Yellow	4	10/20
GW 62 024	3P+E	110 V	Yellow	4	8/16
GW 62 025	3P+N+E	110 V	Yellow	4	10/20
GW 62 026	2P+E	230 V	Blue	6	10/40
GW 62 027	3P+E	230 V	Blue	9	8/16
GW 62 028	3P+N+E	230 V	Blue	9	10/20
GW 62 029	2P+E	400 V	Red	9	10/20
GW 62 030	3P+E	400 V	Red	6	10/40
GW 62 031	3P+N+E	400 V	Red	6	10/40
GW 62 032	3P+E	500 V	Black	7	10/20
GW 62 033	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 62 034	2P+E	110 V	Yellow	4	8/16
GW 62 035	3P+E	110 V	Yellow	4	8/16
GW 62 036	3P+N+E	110 V	Yellow	4	8/16
GW 62 037	2P+E	230 V	Blue	6	8/16
GW 62 038	3P+E	230 V	Blue	9	8/16
GW 62 039	3P+N+E	230 V	Blue	9	8/16
GW 62 040	2P+E	400 V	Red	9	8/16
GW 62 041	3P+E	400 V	Red	6	8/16
GW 62 042	3P+N+E	400 V	Red	6	8/16
GW 62 043	3P+E	500 V	Black	7	8/16
GW 62 044	3P+N+E	500 V	Black	7	8/16
GW 62 128	3P+E	380 - 440 V	Red	3	8/16
<b>RATED CURRENT (A): 63</b>					
GW 63 045	2P+E	110 V	Yellow	4	2/4
GW 63 046	3P+E	110 V	Yellow	4	2/4
GW 63 047	3P+N+E	110 V	Yellow	4	2/4
GW 63 048	2P+E	230 V	Blue	6	2/4
GW 63 049	3P+E	230 V	Blue	9	2/4
GW 63 050	3P+N+E	230 V	Blue	9	2/4
GW 63 051	2P+E	400 V	Red	9	2/4
GW 63 052	3P+E	400 V	Red	6	2/4
GW 63 053	3P+N+E	400 V	Red	6	2/4
GW 63 054	3P+E	500 V	Black	7	2/4
GW 63 055	3P+N+E	500 V	Black	7	2/4
<b>RATED CURRENT (A): 125</b>					
GW 62 056	3P+E	110 V	Yellow	4	1/2
GW 62 057	3P+N+E	110 V	Yellow	4	1/2
GW 62 058	3P+E	230 V	Blue	9	1/2
GW 62 059	3P+N+E	230 V	Blue	9	1/2
GW 62 060	3P+E	400 V	Red	6	1/2
GW 62 061	3P+N+E	400 V	Red	6	1/2
GW 62 062	3P+E	500 V	Black	7	1/2
GW 62 063	3P+N+E	500 V	Black	7	1/2

## 62 - 90° ANGLED CONNECTORS

### IP44



GW62085

#### LOW VOLTAGE PROTECTED 90° ANGLED CONNECTORS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 082	2P+E	110 V	Yellow	4	10/20
GW 62 083	3P+E	110 V	Yellow	4	10/20
GW 62 084	3P+N+E	110 V	Yellow	4	10/20
GW 62 085	2P+E	230 V	Blue	6	10/20
GW 62 086	3P+E	230 V	Blue	9	10/20
GW 62 087	3P+N+E	230 V	Blue	9	10/20
GW 62 088	2P+E	400 V	Red	9	10/20
GW 62 089	3P+E	400 V	Red	6	10/20
GW 62 090	3P+N+E	400 V	Red	6	10/20
GW 62 091	3P+E	500 V	Black	7	10/20
GW 62 092	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 62 093	2P+E	110 V	Yellow	4	8/16
GW 62 094	3P+E	110 V	Yellow	4	8/16
GW 62 095	3P+N+E	110 V	Yellow	4	8/16
GW 62 096	2P+E	230 V	Blue	6	8/16
GW 62 097	3P+E	230 V	Blue	9	8/16
GW 62 098	3P+N+E	230 V	Blue	9	8/16
GW 62 099	2P+E	400 V	Red	9	8/16
GW 62 101	3P+E	400 V	Red	6	8/16
GW 62 102	3P+N+E	400 V	Red	6	8/16
GW 62 103	3P+E	500 V	Black	7	8/16
GW 62 104	3P+N+E	500 V	Black	7	8/16

### IP67



GW62113

#### LOW VOLTAGE 90° ANGLED WATERTIGHT CONNECTORS 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 105	2P+E	110 V	Yellow	4	10/20
GW 62 106	3P+E	110 V	Yellow	4	10/20
GW 62 107	3P+N+E	110 V	Yellow	4	10/20
GW 62 108	2P+E	230 V	Blue	6	10/20
GW 62 109	3P+E	230 V	Blue	9	10/20
GW 62 110	3P+N+E	230 V	Blue	9	10/20
GW 62 111	2P+E	400 V	Red	9	10/20
GW 62 112	3P+E	400 V	Red	6	10/20
GW 62 113	3P+N+E	400 V	Red	6	10/20
GW 62 114	3P+E	500 V	Black	7	10/20
GW 62 115	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 62 116	2P+E	110 V	Yellow	4	6/12
GW 62 117	3P+E	110 V	Yellow	4	6/12
GW 62 118	3P+N+E	110 V	Yellow	4	6/12
GW 62 119	2P+E	230 V	Blue	6	6/12
GW 62 120	3P+E	230 V	Blue	9	6/12
GW 62 121	3P+N+E	230 V	Blue	9	6/12
GW 62 122	2P+E	400 V	Red	9	6/12
GW 62 123	3P+E	400 V	Red	6	6/12
GW 62 124	3P+N+E	400 V	Red	6	6/12
GW 62 125	3P+E	500 V	Black	7	6/12
GW 62 126	3P+N+E	500 V	Black	7	6/12
GW 62 127	3P+E	380 - 440 V	Red	3	6/12

## 62/63 - 10° ANGLED RECEPTACLES

### IP44

GW62204



#### LOW VOLTAGE PROTECTED 10° ANGLED RECEPTACLES - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Cover dimensions mm	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 62 201	2P+E	110 V	Yellow	85x75	4	10/40
GW 62 202	3P+E	110 V	Yellow	85x75	4	10/20
GW 62 203	3P+N+E	110 V	Yellow	85x75	4	10/20
GW 62 204	2P+E	230 V	Blue	62x62	6	10/100
GW 62 205	2P+E	230 V	Blue	85x75	6	10/100
GW 62 206	3P+E	230 V	Blue	85x75	9	10/40
GW 62 207	3P+N+E	230 V	Blue	85x75	9	10/20
GW 62 208	2P+E	400 V	Red	85x75	9	10/20
GW 62 209	3P+E	400 V	Red	85x75	6	10/100
GW 62 210	3P+N+E	400 V	Red	85x75	6	10/40
GW 62 211	3P+E	500 V	Black	85x75	7	10/20
GW 62 212	3P+N+E	500 V	Black	85x75	7	10/20
<b>RATED CURRENT (A): 32</b>						
GW 62 213	2P+E	110 V	Yellow	95x80	4	8/16
GW 62 214	3P+E	110 V	Yellow	95x80	4	8/16
GW 62 215	3P+N+E	110 V	Yellow	95x80	4	8/16
GW 62 216	2P+E	230 V	Blue	95x80	6	8/32
GW 62 217	3P+E	230 V	Blue	95x80	9	8/16
GW 62 218	3P+N+E	230 V	Blue	95x80	9	8/16
GW 62 219	2P+E	400 V	Red	95x80	9	8/16
GW 62 220	3P+E	400 V	Red	95x80	6	8/32
GW 62 221	3P+N+E	400 V	Red	95x80	6	8/32
GW 62 222	3P+E	500 V	Black	95x80	7	8/16
GW 62 223	3P+N+E	500 V	Black	95x80	7	8/16

GW62204, cap of reduced dimensions (62x62 mm) for use in restricted spaces.

GW62265



#### EXTRA LOW VOLTAGE PROTECTED 10° ANGLED RECEPTACLES

Code	No. poles	Nominal voltage	Colour	Frequency	Cover dimensions mm	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>							
GW 62 265	2P	24 V	Violet	50 - 60 Hz	85x75	n.r.	10/40
GW 62 266	3P	24 V	Violet	50 - 60 Hz	85x75	n.r.	10/20
GW 62 267	2P	42 V	White	50 - 60 Hz	85x75	12	10/20
GW 62 268	3P	42 V	White	50 - 60 Hz	85x75	12	10/20
GW 62 269	2P	24 - 42 V	Green	100 - 200 Hz	85x75	4	10/20
GW 62 270	3P	24 - 42 V	Green	100 - 200 Hz	85x75	4	10/20
GW 62 271	2P	24 - 42 V	Green	401 - 500 Hz	85x75	11	10/20
GW 62 272	3P	42 V	Green	401 - 500 Hz	85x75	11	10/20
GW 62 273	2P	24 - 42 V	White	d.c.	85x75	10	10/20
<b>RATED CURRENT (A): 32</b>							
GW 62 274	2P	24 V	Violet	50 - 60 Hz	85x75	n.r.	10/20
GW 62 275	3P	24 V	Violet	50 - 60 Hz	85x75	n.r.	10/20
GW 62 276	2P	24 - 42 V	White	50 - 60 Hz	85x75	12	10/20
GW 62 277	3P	42 V	White	50 - 60 Hz	85x75	12	10/20
GW 62 278	2P	24 - 42 V	Green	100 - 200 Hz	85x75	4	10/20
GW 62 279	3P	24 - 42 V	Green	100 - 200 Hz	85x75	4	10/20
GW 62 280	2P	24 - 42 V	Green	401 - 500 Hz	85x75	11	10/20
GW 62 281	3P	24 - 42 V	Green	401 - 500 Hz	85x75	11	10/20
GW 62 282	2P	24 - 42 V	White	d.c.	85x75	10	10/20

## IP67

GW62227



### LOW VOLTAGE WATERTIGHT 10° ANGLED RECEPTACLES - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Cover dimensions mm	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 62 224	2P+E	110 V	Yellow	85x75	4	10/20
GW 62 225	3P+E	110 V	Yellow	85x75	4	10/20
GW 62 226	3P+N+E	110 V	Yellow	85x75	4	10/20
GW 62 227	2P+E	230 V	Blue	85x75	6	10/40
GW 62 228	3P+E	230 V	Blue	85x75	9	10/20
GW 62 229	3P+N+E	230 V	Blue	85x75	9	10/20
GW 62 230	2P+E	400 V	Red	85x75	9	10/20
GW 62 231	3P+E	400 V	Red	85x75	6	10/40
GW 62 232	3P+N+E	400 V	Red	85x75	6	10/40
GW 62 233	3P+E	500 V	Black	85x75	7	10/20
GW 62 234	3P+N+E	500 V	Black	85x75	7	10/20
<b>RATED CURRENT (A): 32</b>						
GW 62 235	2P+E	110 V	Yellow	95x80	4	8/16
GW 62 236	3P+E	110 V	Yellow	95x80	4	8/16
GW 62 237	3P+N+E	110 V	Yellow	95x80	4	8/16
GW 62 238	2P+E	230 V	Blue	95x80	6	8/16
GW 62 239	3P+E	230 V	Blue	95x80	9	8/16
GW 62 240	3P+N+E	230 V	Blue	95x80	9	8/16
GW 62 241	2P+E	400 V	Red	95x80	9	8/16
GW 62 242	3P+E	400 V	Red	95x80	6	8/16
GW 62 243	3P+N+E	400 V	Red	95x80	6	8/16
GW 62 244	3P+E	500 V	Black	95x80	7	8/16
GW 62 245	3P+N+E	500 V	Black	95x80	7	8/16
GW 62 283	3P+E	380 - 440 V	Red	95x80	3	8/16
<b>RATED CURRENT (A): 63</b>						
GW 63 246	2P+E	110 V	Yellow	110x100	4	2/4
GW 63 247	3P+E	110 V	Yellow	110x100	4	2/4
GW 63 248	3P+N+E	110 V	Yellow	110x100	4	2/4
GW 63 249	2P+E	230 V	Blue	110x100	6	2/4
GW 63 250	3P+E	230 V	Blue	110x100	9	2/4
GW 63 251	3P+N+E	230 V	Blue	110x100	9	2/4
GW 63 252	2P+E	400 V	Red	110x100	9	2/4
GW 63 253	3P+E	400 V	Red	110x100	6	2/4
GW 63 254	3P+N+E	400 V	Red	110x100	6	2/4
GW 63 255	3P+E	500 V	Black	110x100	7	2/4
GW 63 256	3P+N+E	500 V	Black	110x100	7	2/4
<b>RATED CURRENT (A): 125</b>						
GW 62 257	3P+E	110 V	Yellow	114x114	4	1/2
GW 62 258	3P+N+E	110 V	Yellow	114x114	4	1/2
GW 62 259	3P+E	230 V	Blue	114x114	9	1/2
GW 62 260	3P+N+E	230 V	Blue	114x114	9	1/2
GW 62 261	3P+E	400 V	Red	114x114	6	1/2
GW 62 262	3P+N+E	400 V	Red	114x114	6	1/2
GW 62 263	3P+E	500 V	Black	114x114	7	1/2
GW 62 264	3P+N+E	500 V	Black	114x114	7	1/2

### EXTRA LOW VOLTAGE WATERTIGHT 10° ANGLED RECEPTACLES - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Frequency	Cover dimensions mm	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>							
GW 62 365	2P	24 V	Violet	50 - 60 Hz	85x75	n.r.	10/40
GW 62 366	3P	24 V	Violet	50 - 60 Hz	85x75	n.r.	10/20

GW62365



## 62/63 - 10° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS

### IP44



GW62404

#### LOW VOLTAGE PROTECTED 10° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 401	2P+E	110 V	Yellow	4	10/40
GW 62 402	3P+E	110 V	Yellow	4	10/20
GW 62 403	3P+N+E	110 V	Yellow	4	10/20
GW 62 404	2P+E	230 V	Blue	6	10/40
GW 62 405	3P+E	230 V	Blue	9	10/20
GW 62 406	3P+N+E	230 V	Blue	9	10/20
GW 62 407	2P+E	400 V	Red	9	10/20
GW 62 408	3P+E	400 V	Red	6	10/40
GW 62 409	3P+N+E	400 V	Red	6	10/40
GW 62 410	3P+E	500 V	Black	7	10/20
GW 62 411	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 62 412	2P+E	110 V	Yellow	4	8/16
GW 62 413	3P+E	110 V	Yellow	4	8/16
GW 62 414	3P+N+E	110 V	Yellow	4	8/16
GW 62 415	2P+E	230 V	Blue	6	8/16
GW 62 416	3P+E	230 V	Blue	9	8/16
GW 62 417	3P+N+E	230 V	Blue	9	8/16
GW 62 418	2P+E	400 V	Red	9	8/16
GW 62 419	3P+E	400 V	Red	6	8/16
GW 62 420	3P+N+E	400 V	Red	6	8/16
GW 62 421	3P+E	500 V	Black	7	7/14
GW 62 422	3P+N+E	500 V	Black	7	7/14

ACCESSORIES SUPPLIED: Ø 29 mm cable gland.



GW62456

#### EXTRA LOW VOLTAGE PROTECTED 10° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 62 456	2P	24 V	Violet	50 - 60 Hz	n.r.	10/40
GW 62 457	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 458	2P	42 V	White	50 - 60 Hz	12	10/20
GW 62 459	3P	42 V	White	50 - 60 Hz	12	10/20
GW 62 460	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 461	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 462	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 463	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 464	2P	24 - 42 V	White	d.c.	10	10/20
<b>RATED CURRENT (A): 32</b>						
GW 62 465	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 466	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 467	2P	42 V	White	50 - 60 Hz	12	10/20
GW 62 468	3P	42 V	White	50 - 60 Hz	12	10/20
GW 62 469	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 470	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 471	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 472	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 473	2P	24 - 42 V	White	d.c.	10	10/20

ACCESSORIES SUPPLIED: Ø 29 mm cable gland.

## IP67

GW62430



### LOW VOLTAGE WATERTIGHT 10° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 423	2P+E	110 V	Yellow	4	10/20
GW 62 424	3P+E	110 V	Yellow	4	10/20
GW 62 425	3P+N+E	110 V	Yellow	4	10/20
GW 62 426	2P+E	230 V	Blue	6	10/40
GW 62 427	3P+E	230 V	Blue	9	10/20
GW 62 428	3P+N+E	230 V	Blue	9	10/20
GW 62 429	2P+E	400 V	Red	9	10/20
GW 62 430	3P+E	400 V	Red	6	10/40
GW 62 431	3P+N+E	400 V	Red	6	10/40
GW 62 432	3P+E	500 V	Black	7	10/20
GW 62 433	3P+N+E	500 V	Black	7	10/20
<b>RATED CURRENT (A): 32</b>					
GW 62 434	2P+E	110 V	Yellow	4	8/16
GW 62 435	3P+E	110 V	Yellow	4	8/16
GW 62 436	3P+N+E	110 V	Yellow	4	8/16
GW 62 437	2P+E	230 V	Blue	6	8/16
GW 62 438	3P+E	230 V	Blue	9	8/16
GW 62 439	3P+N+E	230 V	Blue	9	8/16
GW 62 440	2P+E	400 V	Red	9	8/16
GW 62 441	3P+E	400 V	Red	6	8/16
GW 62 442	3P+N+E	400 V	Red	6	8/16
GW 62 443	3P+E	500 V	Black	7	7/14
GW 62 444	3P+N+E	500 V	Black	7	7/14
GW 62 556	3P+E	380 - 440 V	Red	3	8/16
<b>RATED CURRENT (A): 63</b>					
GW 63 445	2P+E	110 V	Yellow	4	2/4
GW 63 446	3P+E	110 V	Yellow	4	2/4
GW 63 447	3P+N+E	110 V	Yellow	4	2/4
GW 63 448	2P+E	230 V	Blue	6	2/4
GW 63 449	3P+E	230 V	Blue	9	2/4
GW 63 450	3P+N+E	230 V	Blue	9	2/4
GW 63 451	2P+E	400 V	Red	9	2/4
GW 63 452	3P+E	400 V	Red	6	2/4
GW 63 453	3P+N+E	400 V	Red	6	2/4
GW 63 454	3P+E	500 V	Black	7	2/4
GW 63 455	3P+N+E	500 V	Black	7	2/4

ACCESSORIES SUPPLIED: cable gland Pg 21.

## 62/63 - 90° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS

## IP44

GW62482



### LOW VOLTAGE PROTECTED 90° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 474	2P+E	110 V	Yellow	4	10/20
GW 62 475	3P+E	110 V	Yellow	4	10/20
GW 62 476	3P+N+E	110 V	Yellow	4	10/20
GW 62 477	2P+E	230 V	Blue	6	10/20
GW 62 478	3P+E	230 V	Blue	9	10/20
GW 62 479	3P+N+E	230 V	Blue	9	10/20
GW 62 480	2P+E	400 V	Red	9	10/20
GW 62 481	3P+E	400 V	Red	6	10/20
GW 62 482	3P+N+E	400 V	Red	6	10/20
GW 62 483	3P+E	500 V	Black	7	10/20
GW 62 484	3P+N+E	500 V	Black	7	10/20

TO BE CONTINUED ON NEXT PAGE

(TO BE CONTINUED)

### LOW VOLTAGE PROTECTED 90° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 32</b>					
GW 62 485	2P+E	110 V	Yellow	4	8/16
GW 62 486	3P+E	110 V	Yellow	4	8/16
GW 62 487	3P+N+E	110 V	Yellow	4	8/16
GW 62 488	2P+E	230 V	Blue	6	8/16
GW 62 489	3P+E	230 V	Blue	9	8/16
GW 62 490	3P+N+E	230 V	Blue	9	8/16
GW 62 491	2P+E	400 V	Red	9	8/16
GW 62 492	3P+E	400 V	Red	6	8/16
GW 62 493	3P+N+E	400 V	Red	6	8/16
GW 62 494	3P+E	500 V	Black	7	8/16
GW 62 495	3P+N+E	500 V	Black	7	8/16

ACCESSORIES SUPPLIED: Ø 20 mm cable gland for 16 A versions, Ø 23mm mm cable gland for 32 A versions.

GW62538



### EXTRA LOW VOLTAGE PROTECTED 90° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS

Code	No. poles	Nominal voltage	Colour	Frequency	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>						
GW 62 538	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 539	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 540	2P	42 V	White	50 - 60 Hz	12	10/20
GW 62 541	3P	42 V	White	50 - 60 Hz	12	10/20
GW 62 542	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 543	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 544	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 545	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 546	2P	24 - 42 V	White	d.c.	10	10/20

**RATED CURRENT (A): 32**

GW 62 547	2P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 548	3P	24 V	Violet	50 - 60 Hz	n.r.	10/20
GW 62 549	2P	42 V	White	50 - 60 Hz	12	10/20
GW 62 550	3P	42 V	White	50 - 60 Hz	12	10/20
GW 62 551	2P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 552	3P	24 - 42 V	Green	100 - 200 Hz	4	10/20
GW 62 553	2P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 554	3P	24 - 42 V	Green	401 - 500 Hz	11	10/20
GW 62 555	2P	24 - 42 V	White	d.c.	10	10/20

ACCESSORIES SUPPLIED: Ø 23 mm cable gland.

## IP67

GW62501



### LOW VOLTAGE WATERTIGHT 90° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 16</b>					
GW 62 496	2P+E	110 V	Yellow	4	10/20
GW 62 497	3P+E	110 V	Yellow	4	10/20
GW 62 498	3P+N+E	110 V	Yellow	4	10/20
GW 62 499	2P+E	230 V	Blue	6	10/20
GW 62 501	3P+E	230 V	Blue	9	10/20
GW 62 502	3P+N+E	230 V	Blue	9	10/20
GW 62 503	2P+E	400 V	Red	9	10/20
GW 62 504	3P+E	400 V	Red	6	10/20
GW 62 505	3P+N+E	400 V	Red	6	10/20
GW 62 506	3P+E	500 V	Black	7	10/20
GW 62 507	3P+N+E	500 V	Black	7	10/20

TO BE CONTINUED ON NEXT PAGE

(TO BE CONTINUED)

### LOW VOLTAGE WATERTIGHT 90° ANGLED SURFACE-MOUNTING SOCKET-OUTLETS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>RATED CURRENT (A): 32</b>					
GW 62 508	2P+E	110 V	Yellow	4	8/16
GW 62 509	3P+E	110 V	Yellow	4	8/16
GW 62 510	3P+N+E	110 V	Yellow	4	8/16
GW 62 511	2P+E	230 V	Blue	6	8/16
GW 62 512	3P+E	230 V	Blue	9	8/16
GW 62 513	3P+N+E	230 V	Blue	9	8/16
GW 62 514	2P+E	400 V	Red	9	8/16
GW 62 515	3P+E	400 V	Red	6	8/16
GW 62 516	3P+N+E	400 V	Red	6	8/16
GW 62 517	3P+E	500 V	Black	7	8/16
GW 62 518	3P+N+E	500 V	Black	7	8/16
GW 62 557	3P+E	380 - 440 V	Red	3	8/16
<b>RATED CURRENT (A): 63</b>					
GW 63 519	2P+E	110 V	Yellow	4	2/4
GW 63 520	3P+E	110 V	Yellow	4	2/4
GW 63 521	3P+N+E	110 V	Yellow	4	2/4
GW 63 522	2P+E	230 V	Blue	6	2/4
GW 63 523	3P+E	230 V	Blue	9	2/4
GW 63 524	3P+N+E	230 V	Blue	9	2/4
GW 63 525	2P+E	400 V	Red	9	2/4
GW 63 526	3P+E	400 V	Red	6	2/4
GW 63 527	3P+N+E	400 V	Red	6	2/4
GW 63 528	3P+E	500 V	Black	7	2/4
GW 63 529	3P+N+E	500 V	Black	7	2/4
<b>RATED CURRENT (A): 125</b>					
GW 62 530	3P+E	110 V	Yellow	4	1/2
GW 62 531	3P+N+E	110 V	Yellow	4	1/2
GW 62 532	3P+E	230 V	Blue	9	1/2
GW 62 533	3P+N+E	230 V	Blue	9	1/2
GW 62 534	3P+E	400 V	Red	6	1/2
GW 62 535	3P+N+E	400 V	Red	6	1/2
GW 62 536	3P+E	500 V	Black	7	1/2
GW 62 537	3P+N+E	500 V	Black	7	1/2

ACCESSORIES SUPPLIED: cable gland Pg 21.

IEC 309 RANGE

## 64 - MULTIPLE SOCKET-COULPERS

### 2-OUTLET



GW64013

### WATERTIGHT MULTIPLE SOCKET-COULPERS 2 OUTPUTS WITH 16A PLUG - 50/60HZ - IP67

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>PLUG IEC 309: 16A</b>					
GW 64 008	2P+E	110 V	Yellow	4	5/20
GW 64 009	3P+E	110 V	Yellow	4	5/10
GW 64 010	2P+E	230 V	Blue	6	5/20
GW 64 011	3P+E	230 V	Blue	9	5/10
GW 64 012	3P+N+E	230 V	Blue	9	5/10
GW 64 013	3P+E	400 V	Red	6	5/10
GW 64 014	3P+N+E	400 V	Red	6	5/10

## 3-OUTLET

GW64027



### WATERTIGHT MULTIPLE SOCKET-COULPERS 3 OUTPUTS WITH 16/32A PLUG - 50/60HZ - IP67

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>PLUG IEC 309: 16A</b>					
GW 64 022	2P+E	110 V	Yellow	4	5/10
GW 64 023	3P+E	110 V	Yellow	4	5/10
GW 64 024	2P+E	230 V	Blue	6	5/10
GW 64 025	3P+E	230 V	Blue	9	5/10
GW 64 026	3P+N+E	230 V	Blue	9	5/10
GW 64 027	3P+E	400 V	Red	6	5/10
GW 64 028	3P+N+E	400 V	Red	6	5/10
<b>PLUG IEC 309: 32A</b>					
GW 64 068	3P+E	400 V	Red	6	1/4

## 3-OUTLET WITH CABLE AND PLUG

GW64052



### WATERTIGHT MULTIPLE SOCKET-COULPERS 3 OUTPUTS WITH 2M

### FLEXIBLE CABLE AND 16A PLUG - 50/60HZ - IP67

Code	No. poles	Nominal voltage	Colour	Reference h	Pack Carton
<b>PLUG IEC 309: 16A</b>					
GW 64 050	2P+E	110 V	Yellow	4	1/6
GW 64 051	3P+E	110 V	Yellow	4	1/3
GW 64 052	2P+E	230 V	Blue	6	1/6
GW 64 053	3P+E	230 V	Blue	9	1/3
GW 64 054	3P+N+E	230 V	Blue	9	1/3
GW 64 055	3P+E	400 V	Red	6	1/3
GW 64 056	3P+N+E	400 V	Red	6	1/3

## 64 - MULTIPLE SOCKET-ADAPTORS

### CONFIGURATION ADAPTOR

GW64059



### WATERTIGHT MULTIPLE SOCKET-ADAPTORS WITH 16 A PLUG - 50/60 HZ - IP67

Code	Socket-outlet IEC 309	Socket-outlet IEC 309	Socket-outlet IEC 309	Pack Carton
<b>PLUG IEC 309: 3P+N+E - 16A - 400V~</b>				
GW 64 059	2P+E - 16A - 230V~	2P+E - 16A - 230V~	3P+N+E - 16A - 400V~	5/10
GW 64 060	2P+E - 16A - 230V~	3P+E - 16A - 400V~	3P+N+E - 16A - 400V~	5/10

GW64061



### WATERTIGHT MULTIPLE SOCKET-ADAPTORS WITH 32A PLUG - 50/60HZ - IP67

Code	Socket-outlet IEC 309	Socket-outlet IEC 309	Socket-outlet IEC 309	Pack Carton
<b>PLUG IEC 309: 3P+N+E - 32A - 400V~</b>				
GW 64 061	2P+E - 32A - 230V~	3P+E - 32A - 400V~	3P+N+E - 32A - 400V~	1/5

### CURRENT ADAPTOR

GW64062



### WATERTIGHT MULTIPLE SOCKET-ADAPTORS WITH 16 A PLUG - 50/60 HZ - IP67

Code	Socket-outlet IEC 309	Socket-outlet IEC 309	Socket-outlet IEC 309	Pack Carton
<b>PLUG IEC 309: 2P+E - 32A - 230V~</b>				
GW 64 062	2P+E - 16A - 230V~	2P+E - 16A - 230V~	2P+E - 16A - 230V~	5/10
<b>PLUG IEC 309: 3P+N+E - 32A - 400V~</b>				
GW 64 063	2P+E - 16A - 230V~	3P+E - 16A - 400V~	3P+N+E - 16A - 400V~	5/10
GW 64 064	2P+E - 16A - 230V~	2P+E - 16A - 230V~	3P+N+E - 32A - 400V~	1/5

# IEC 309 RANGE

PLUGS AND SOCKETS TO IEC 309 STANDARDS



GW64065



## WATERTIGHT MULTIPLE SOCKET-ADAPTORS WITH PLUG 63A - 50/60 HZ - IP67

Code	Socket-outlet IEC 309	Socket-outlet IEC 309	Socket-outlet IEC 309	Pack Carton
<b>PLUG IEC 309: 3P+N+E - 63A - 400V~</b>				
GW 64 065	2P+E - 32A - 230V~	2P+E - 32A - 230V~	3P+N+E - 63A - 400V~	1/2

## PHASE INVERTER ADAPTORS

GW64066



## PROTECTED PHASE INVERTER COUPLERS - 16A - IP44

Code	Socket-outlet IEC 309	Pack Carton
<b>PLUG IEC 309: 3P+E - 16A - 400V~</b>		
GW 64 066	3P+E - 16A - 400V~	10/20
<b>PLUG IEC 309: 3P+N+E - 16A - 400V~</b>		
GW 64 067	3P+N+E - 16A - 400V~	10/20

## 64 IC/CI - SYSTEM ADAPTORS

### FROM INDUSTRIAL TO DOMESTIC: WIRED

GW64203



#### SYSTEM ADAPTORS:

#### IEC 309 PLUG IP44 / SOCKET-COULERS FOR RESIDENTIAL USE - 50/60 HZ

Code	Resid. socket-outlets 250V~	Pack Carton
<b>PLUG IEC 309: 2P+E - 16A - 230V~</b>		
GW 64 211	Dual amp (P17/11) N. 2 - 2P+E - 16A	10/40
GW 64 212	N. 1 - 2P+E - 16A Dual amp (P30 - P17)	10/40
GW 64 210	N. 1 - 2P+E - 10/16A German	10/40
GW 64 203	N. 2 - 2P+E - 16A French	10/40
GW 64 204	N. 1 - 2P+E - 13A British	10/40
<b>PLUG IEC 309: 3P+N+E - 16A - 400V~</b>		
GW 64 216	N. 2 - 2P+E - 16A Dual amp (P17/11)	10/40
GW 64 217	N. 1 - 2P+E - 16A Dual amp (P30 - P17)	10/40

**CHARACTERISTICS:** GW64211 - GW64216, domestic socket-outlets with Ø 4 / 5 mm plug pins.

GW64212 - GW64217, domestic socket-outlets with Ø 4 / 4.8 / 5 mm plug pins, with side and central earth contact.

### FROM INDUSTRIAL TO DOMESTIC: FITTED

GW64206



#### SYSTEM ADAPTORS: IEC 309 PLUG / FITTING FOR 2 SYSTEM MODULES - 50/60HZ

Code	To house no. mod. SYSTEM	Pack Carton
<b>PLUG IEC 309: 2P+E - 16A - 230V~</b>		
GW 64 206	2	10/40
<b>PLUG IEC 309: 3P+N+E - 16A - 400V~</b>		
GW 64 207	2	10/40

**ACCESSORIES SUPPLIED:** wiring cables.

### FROM DOMESTIC TO INDUSTRIAL: WIRED

GW64208



#### SYSTEM ADAPTORS: DOMESTIC USE PLUG / IEC 309 SOCKET-OUTLET IP44 - 50/60HZ

Code	Socket-outlet IEC 309	Pack Carton
<b>DOMESTIC SOCKET-OUTLET: 2P+E - 16A - 250V~ S17</b>		
GW 64 208	2P+E - 16A - 230V~	10/40
<b>DOMESTIC SOCKET-OUTLET: 2P+E - 16A - 250V~ GERMAN/FRENCH</b>		
GW 64 209	2P+E - 16A - 230V~	10/40

**CHARACTERISTICS:** GW64209, with double earth contact (German standard side contact and French standard middle contact).

TECHNICAL CHARACTERISTICS FROM PAGE 618

## 64 IC/CI - SYSTEM BRANCHED ADAPTORS

### 1 BRANCHED OUTLET: WIRED

GW64221



#### CONVERSION ADAPTORS: PLUG FOR DOMESTIC USE / IEC 309 SOCKET-COUPLER IP44 - 50/60HZ

Code	Resid. socket-outlets 250V~	Socket-outlet IEC 309	Pack Carton
------	--------------------------------	--------------------------	----------------

#### PLUG IEC 309: 2P+E - 16A - 230V~

GW 64 221	N. 2 - 2P+E - 16A Dual amp (P17/11)	2P+E - 16A - 230V~	5/20
GW 64 222	N. 1 - 2P+E - 16A Dual amp (P30 - P17)	2P+E - 16A - 230V~	5/20

#### PLUG IEC 309: 3P+N+E - 16A - 400V~

GW 64 226	N. 2 - 2P+E - 16A Dual amp (P17/11)	3P+N+E - 16A - 400V~	5
GW 64 227	N. 1 - 2P+E - 16A Dual amp (P30 - P17)	3P+N+E - 16A - 400V~	5

**CHARACTERISTICS:** GW 64221 - GW 64226, domestic socket-outlets with Ø 4 / 5 mm plug pins.

GW 64222 - GW 64227, domestic socket-outlets with Ø 4 / 4.8 / 5 mm plug pins, with side and central earth contact.

### 1 BRANCHED OUTLET: FITTED

GW64223



#### CONVERSION ADAPTORS: IEC 309 PLUG

#### FITTING FOR 2 SYSTEM MODULES/IEC 309 SOCKET-COUPLER IP44 - 50/60HZ

Code	To house no. mod. SYSTEM	Socket-outlet IEC 309	Pack Carton
------	-----------------------------	--------------------------	----------------

#### PLUG IEC 309: 2P+E - 16A - 230V~

GW 64 223	2	2P+E - 16A - 230V~	5/20
-----------	---	--------------------	------

#### PLUG IEC 309: 3P+N+E - 16A - 400V~

GW 64 228	2	3P+N+E - 16A - 400V~	5
-----------	---	----------------------	---

**ACCESSORIES SUPPLIED:** wiring cables.

### 2 BRANCHED OUTLETS: WIRED

GW64231



#### CONVERSION ADAPTORS: PLUG IEC 309 IP44

#### SOCKET-OUTLET FOR DOMESTIC USE / IEC 309 SOCKET-COUPLER IP44 - 50/60HZ

Code	Resid. socket-outlets 250V~	Socket-outlet IEC 309	Pack Carton
------	--------------------------------	--------------------------	----------------

#### PLUG IEC 309: 2P+E - 16A - 230V~

GW 64 231	N. 2 (P17/11) - N. 1 (P30-P17)	2P+E - 16A - 230V~	5/20
-----------	--------------------------------	--------------------	------

#### PLUG IEC 309: 3P+N+E - 16A - 400V~

GW 64 236	N. 2 (P17/11) - N. 1 (P30-P17)	3P+N+E - 16A - 400V~	5/10
-----------	--------------------------------	----------------------	------

### 2 BRANCHED OUTLETS: FITTED

GW64232



#### CONVERSION ADAPTORS: IEC 309 PLUG

#### FITTING FOR 2+2 SYSTEM MODULES/IEC 309 SOCKET-COUPLER IP44 - 50/60HZ

Code	To house no. mod. SYSTEM	Socket-outlet IEC 309	Pack Carton
------	-----------------------------	--------------------------	----------------

#### PLUG IEC 309: 2P+E - 16A - 230V~

GW 64 232	2+2	2P+E - 16A - 230V~	5/20
-----------	-----	--------------------	------

#### PLUG IEC 309: 3P+N+E - 16A - 400V~

GW 64 237	2+2	3P+N+E - 16A - 400V~	5/10
-----------	-----	----------------------	------

**ACCESSORIES SUPPLIED:** wiring cables.

### 2 BRANCHED OUTLETS WITH CABLE AND PLUG: WIRED

GW64256



#### CONVERSION ADAPTOR SHUNT WITH 2 M OF FLEXIBLE CABLE: IEC 309 PLUG IP44

#### DOMESTIC SOCKETS / IEC 309 SOCKET-COUPLER IP44 - 50/60HZ

Code	Resid. socket-outlets 250V~	Socket-outlet IEC 309	Pack Carton
------	--------------------------------	--------------------------	----------------

#### PLUG IEC 309: 3P+N+E - 16A - 400V~

GW 64 256	N. 2 (P17/11) - N. 1 (P30-P17)	3P+N+E - 16A - 400V~	1/3
-----------	--------------------------------	----------------------	-----

**CHARACTERISTICS:** 2 domestic socket-outlets with Ø 4 / 5 mm plug pins (P17/11) and 1 domestic socket-outlet with Ø 4 / 4.8 / 5 mm plug pins (P30 - P17) with side and central earth control.

GW64263



**CONVERSION ADAPTOR SHUNT WITH 2 M OF FLEXIBLE CABLE:  
PLUG FOR DOMESTIC USE / SOCKETS-OUTLETS FOR DOMESTIC USE /  
IEC 309 SOCKET-COUPLER IP44 - 50/60HZ**

Code	Resid. socket-outlets 250V~	Socket-outlet IEC 309	Pack Carton
GW 64 263	N. 2 (P17/11) - N. 1 (P30-P17)	2P+E - 16A - 230V~	1/6

**DOMESTIC SOCKET-OUTLET: 2P+E - 16A - 250V~ S17**

**CHARACTERISTICS:** 2 domestic socket-outlets with Ø 4 / 5 mm plug pins (P17/11) and 1 domestic socket-outlet with Ø 4 / 4.8 / 5 mm plug pins (P30 - P17) with side and central earth control.

## 2 BRANCHED OUTLETS FITTED FOR CABLE AND PLUG

GW64265



**CONVERSION ADAPTOR SHUNT: FITTING FOR 2+2 SYSTEM MODULES  
/IEC 309 SOCKET-COUPLER IP44 - 50/60HZ**

Code	To house no. mod. SYSTEM	Socket-outlet IEC 309	Pack Carton
GW 64 265	2+2	2P+E - 16A - 230V~	5/20

**ACCESSORIES SUPPLIED:** wiring cables.