


BR-PVC - TRUNKING AND DEVICE HOLDERS IN PVC WITH INTEGRATED COVER

TRUNKING


NP52002



MOUNTING RAIL FOR DEVICE-MOUNTING AND SILL-TYPE TRUNKING IN PVC LENGTH: 2 METRES

Code	Dimension BxH (mm)	Lid size (mm)	Section (mm ²)	Pack Carton
COLOUR: WHITE RAL 9010				
NP 52 007	100 x 70	80	5300	8
NP 52 002	130 x 70	80	7130	8
NP 52 018	170 x 70	80	9410	8

NP54054



COVER FOR DEVICE-MOUNTING AND SILL-TYPE TRUNKING IN PVC - LENGTH: 2 METRES

Code	Lid size (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 52 102	80	16

ROUTING COMPONENTS

NP52118



EXTERNAL CORNER

Code	Dimension BxH (mm)	Lid size (mm)	Pack Carton
COLOUR: WHITE RAL 9010			
NP 52 120	100 x 70	80	2
NP 52 118	130 x 70	80	2
NP 52 134	170 x 70	80	2


NP54144



EXTERNAL CORNER COVER

Code	Lid size (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 52 150	80	2

NP52166



INTERNAL CORNER

Code	Dimension BxH (mm)	Lid size (mm)	Pack Carton
COLOUR: WHITE RAL 9010			
NP 52 168	100 x 70	80	2
NP 52 166	130 x 70	80	2
NP 52 182	170 x 70	80	2

NP52198



FLAT ANGLE

Code	Dimension BxH (mm)	Lid size (mm)	Pack Carton
COLOUR: WHITE RAL 9010			
NP 52 200	100 x 70	80	2
NP 52 198	130 x 70	80	2
NP 52 214	170 x 70	80	2

NP52230



T JUNCTION

Code	Dimension BxH (mm)	Lid size (mm)	Pack Carton
COLOUR: WHITE RAL 9010			
NP 52 232	100 x 70	80	2
NP 52 230	130 x 70	80	2
NP 52 246	170 x 70	80	2

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS



JOINT - PVC MATERIAL

Code	Lid size (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 52 262	80	10

NP52278



END COVER

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 54 272	100 x 70	10
NP 52 278	130 x 70	10
NP 52 286	170 x 70	10

COMPLEMENTARY ITEMS


NP54422



WALL CONNECTION FRAME - PVC

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 54 422	100 x 70	1
NP 54 427	130 x 70	1
NP 54 432	170 x 70	1

NP50295



DIVIDERS

Code	Division	Pack Carton
NP 50 295	Multiple	48
NP 52 293	Central	48
NP 50 290	Twin	24

DEVICE-HOLDER BOXES

NP50306



JUNCTION BOX, 45 MM DEEP

Code	Colour	Pack Carton
NP 50 306	Green	40

NP50305



BR / FB RANGE DEVICE BOX FOR INDUSTRIAL FLUSH-MOUNTING

SOCKET-OUTLETS AND GEWISS 85 X 75 MM WATERTIGHT LIDS

Code	Suitable for	Centre distance	Depth	Colour	Pack Carton
NP 50 304		60x60	47 mm	Red	40
NP 50 305	Socket-outlets	60x60	52 mm	Red	40

Allows for the installation of the following GEWISS components in combination with adaptor NP50692: IEC309 range industrial flush-mounting socket-outlets, watertight lids GW27401 for 20 SYSTEM range domestic devices, watertight lids GW66708 and GW66745 for Ø 22 mm push-buttons/indicators.

NP50307



DEVICE BOX - 52 MM DEEP - 4 GANG BR/FB RANGE

Code	Colour	Pack Carton
NP 50 307	Green	20

APPLICATIONS: suitable for mounting:- 2 ECO 60 range side-by-side components;
- 2 components with 60-mm centre distance;
- PLAYBUS range components combined with the GW32404 4-module framework.

NP 44/52 RANGE

TECHNICAL CHARACTERISTICS FROM PAGE 1025

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

NP50302



DEVICE BOX - 52 MM DEEP - ITALIAN STANDARD: 3 GANG BR/FB RANGE

Code	Colour	Pack Carton
NP 50 302	Red	60

NP50293



ACCESSORIES

Code	Description	Pack Carton
NP 50 293	Cable grip	48
NP 50 294	Device cam for box	20

LOW VOLTAGE PROTECTED 10° ANGLED FLUSH-MOUNTING FIXED SOCKET-OUTLETS - 50/60HZ

Code	No. poles	Nominal voltage	Colour	Cover dimensions mm	Reference h	Pack Carton
RATED CURRENT (A): 16						
GW 62 210	3P+N+E	400 V	Red	85x75	6	10/40

NP50299



BR / FB RANGE ADAPTOR FOR GEWISS IEC 309 RANGE FIXED INDUSTRIAL FLUSH-MOUNTING SOCKET-OUTLETS COMPLETE WITH FIXING SCREWS

Code	Suitable for	Centre distance	Colour	Pack Carton
NP 50 299	Socket-outlets	85x75	Grey RAL 7035	10

Allows for the installation of the following GEWISS components in combination with device box NP50305: IEC309 range industrial flush-mounting socket-outlets, with 16 A nominal current, watertight lids GW27401 and GW26408 for 20 SYSTEM range domestic devices, watertight lids GW66708 and GW66745 for Ø 22 mm push-buttons/indicators.

NP50296



BR / FB RANGE ADAPTOR FOR 16 A FIXED INDUSTRIAL FLUSH-MOUNTING SOCKET-OUTLETS COMPLETE WITH FIXING SCREWS

Code	Suitable for	Centre distance	Colour	Pack Carton
NP 50 296	Socket-outlets	75x75	Grey RAL 7035	10

FB - MULTIFUNCTIONAL TRUNKING AND DEVICE HOLDERS IN PVC

IP40 Surface mounting
IP20 Suspension




EN 60529

6 J



EN 50085 (CEI 23-32)



NP 44/52 RANGE

TRUNKING

NP50002



MOUNTING RAIL FOR SILL-TYPE AND DEVICE-MOUNTING TRUNKINGS IN PVC - LENGTH: 2 METRES

Code	Dimension BxH (mm)	Section (mm ²)	Pack Carton
COLOUR: WHITE RAL 9010			
NP 50 002	100 x 60	4780	12
NP 50 008	130 x 60	6300	8
NP 50 014	150 x 60	7320	8
NP 50 020	200 x 60	9660	6
NP 50 677	230 x 60	11300	6
NP 50 038	230 x 100	18800	4

TO BE CONTINUED ON NEXT PAGE

TECHNICAL CHARACTERISTICS FROM PAGE 1025

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

(TO BE CONTINUED)

MOUNTING RAIL FOR SILL-TYPE AND DEVICE-MOUNTING TRUNKINGS IN PVC - LENGTH: 2 METRES

Code	Dimension BxH (mm)	Section (mm ²)	Pack Carton
COLOUR: GREY RAL 7035			
NP 50 004	100 x 60	4780	12
NP 50 010	130 x 60	6300	8
NP 50 016	150 x 60	7320	8
NP 50 022	200 x 60	9660	6
NP 50 679	230 x 60	11300	6
NP 50 040	230 x 100	18800	4

ACCESSORIES SUPPLIED: cover. Cable holding crosspieces (3 every 2m).

CHARACTERISTICS: option of internal subdivision into compartments using the separation rails provided. The base sides are fitted with a series of holes to facilitate the wall-fixing operation. The cover can be made removable with the use of a tool only by mounting the cable-holding crosspieces 50cm apart.

ROUTING COMPONENTS

NP50045



EXTERNAL CORNER

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 50 045	100 x 60	4
NP 50 051	130 x 60	4
NP 50 057	150 x 60	4
NP 50 063	200 x 60	4
NP 50 069	230 x 60	4
NP 50 081	230 x 100	4
COLOUR: GREY RAL 7035		
NP 50 047	100 x 60	4
NP 50 053	130 x 60	4
NP 50 059	150 x 60	4
NP 50 065	200 x 60	4
NP 50 071	230 x 60	4
NP 50 083	230 x 100	4

NP50087



INTERNAL CORNER

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 50 087	100 x 60	4
NP 50 093	130 x 60	4
NP 50 099	150 x 60	4
NP 50 105	200 x 60	4
NP 50 111	230 x 60	4
NP 50 123	230 x 100	4
COLOUR: GREY RAL 7035		
NP 50 089	100 x 60	4
NP 50 095	130 x 60	4
NP 50 101	150 x 60	4
NP 50 107	200 x 60	4
NP 50 113	230 x 60	4
NP 50 125	230 x 100	4

NP50129



FLAT ANGLE

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 50 129	100 x 60	4
NP 50 135	130 x 60	4
NP 50 141	150 x 60	4
NP 50 147	200 x 60	4
NP 50 153	230 x 60	4
NP 50 165	230 x 100	4

TO BE CONTINUED ON NEXT PAGE

NP 44/52 RANGE

TECHNICAL CHARACTERISTICS FROM PAGE 1025

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

(TO BE CONTINUED)

FLAT ANGLE

Code	Dimension BxH (mm)	Pack Carton
COLOUR: GREY RAL 7035		
NP 50 131	100 x 60	4
NP 50 137	130 x 60	4
NP 50 143	150 x 60	4
NP 50 149	200 x 60	4
NP 50 155	230 x 60	4
NP 50 167	230 x 100	4

NP50171



T JUNCTION

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 50 171	100 x 60	4
NP 50 177	130 x 60	4
NP 50 183	150 x 60	4
NP 50 189	200 x 60	4
NP 50 195	230 x 60	4
NP 50 207	230 x 100	2
COLOUR: GREY RAL 7035		
NP 50 173	100 x 60	4
NP 50 179	130 x 60	4
NP 50 185	150 x 60	4
NP 50 191	200 x 60	4
NP 50 197	230 x 60	4
NP 50 209	230 x 100	2

NP50243



END COVER

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 50 243	100 x 60	10
NP 50 249	130 x 60	10
NP 50 255	150 x 60	10
NP 50 261	200 x 60	10
NP 50 279	230 x 100	10
COLOUR: GREY RAL 7035		
NP 50 245	100 x 60	10
NP 50 251	130 x 60	10
NP 50 257	150 x 60	10
NP 50 263	200 x 60	10
NP 50 281	230 x 100	10

COMPLEMENTARY ITEMS


NP50284



CABLE HOLDING CROSSPIECE

Code	Dimension BxH (mm)	Colour	Pack Carton
NP 50 284	100 x 60	Yellow	50
NP 50 285	130 x 60	Orange	50
NP 50 286	150 x 60	Green	50
NP 50 287	200 x 60	Grey	50
NP 50 288	230 x 60 / 230 x 100	Blue	50

NP50295




DIVIDERS

Code	Division	Suitable for	Pack Carton
NP 50 295	Multiple	All dimensions cover Trunking h=60-90	48
NP 50 289	Multiple	All dimensions cover Trunking h=100	24
NP 52 293	Central	All dimensions cover Trunking h=60-90	48
NP 50 290	Twin	Trunking h=60-80 Cover up to 100 mm	24

TECHNICAL CHARACTERISTICS FROM PAGE 1025

COVERS WITH WINDOWS



NP50324

COVER WITH WINDOW FOR DEVICE-HOLDING BOXES, INDUSTRIAL FLUSH-MOUNTING SOCKET-OUTLETS AND WEATHERPROOF COVERS 85X75MM GEWISS

Code	Lid size (mm)	Windows	Lid length (mm)	Pack Carton
COLOUR: WHITE RAL 9010				
NP 50 324	100	73x73	125	5
NP 50 330	130	73x73	125	5
NP 50 336	150	73x73	125	5
NP 50 342	200	73x73	125	5
NP 50 312	230	73x73	125	5
COLOUR: GREY RAL 7035				
NP 50 326	100	73x73	125	5
NP 50 332	130	73x73	125	5
NP 50 338	150	73x73	125	5
NP 50 344	200	73x73	125	5
NP 50 313	230	73x73	125	5

Allows for the installation of the following GEWISS components in combination with adaptor NP50692: IEC309 range industrial flush-mounting socket-outlets, watertight lids GW27401 and GW26403 for 20 SYSTEM range domestic devices, watertight lids GW66708 and GW66745 for Ø 22 mm push-buttons/indicators.



NP50348

COVER WITH WINDOW FOR 2 DEVICE BOXES 60 MM CENTRE DISTANCE SIDE BY SIDE

Code	Lid size (mm)	Windows	Lid length (mm)	Pack Carton
COLOUR: WHITE RAL 9010				
NP 50 348	100	73x144	245	5
NP 50 354	130	73x144	245	5
NP 50 360	150	73x144	245	5
NP 50 366	200	73x144	245	5
NP 50 316	230	73x144	245	5
COLOUR: GREY RAL 7035				
NP 50 350	100	73x144	245	5
NP 50 356	130	73x144	245	5
NP 50 362	150	73x144	245	5
NP 50 368	200	73x144	245	5
NP 50 317	230	73x144	245	5



NP50372

COVER WITH WINDOW FOR 3 DEVICE BOXES 60 MM CENTRE DISTANCE SIDE BY SIDE

Code	Lid size (mm)	Windows	Lid length (mm)	Pack Carton
COLOUR: WHITE RAL 9010				
NP 50 372	100	73x215	375	5
NP 50 378	130	73x215	375	5
NP 50 384	150	73x215	375	5
NP 50 390	200	73x215	375	5
NP 50 325	230	73x215	375	5
COLOUR: GREY RAL 7035				
NP 50 374	100	73x215	375	5
NP 50 380	130	73x215	375	5
NP 50 386	150	73x215	375	5
NP 50 392	200	73x215	375	5
NP 50 328	230	73x215	375	5



NP50721

COVER WITH WINDOW FOR DEVICE-MOUNTING TRUNKING BOXES - ITALIAN STANDARD: 3 GANG

Code	Lid size (mm)	Windows	Lid length (mm)	Pack Carton
COLOUR: WHITE RAL 9010				
NP 50 721	100	73x104	245	5
NP 50 722	130	73x104	245	5
NP 50 723	150	73x104	245	5
NP 50 724	200	73x104	245	5
COLOUR: GREY RAL 7035				
NP 50 615	100	73x104	245	5
NP 50 616	130	73x104	245	5
NP 50 617	150	73x104	245	5
NP 50 618	200	73x104	245	5

Device-holding boxes: NP50302 (3-gang).

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

NP50741



COVER WITH WINDOW FOR DEVICE-MOUNTING TRUNKING BOXES - 4 GANG

Code	Lid size (mm)	Windows	Lid length (mm)	Pack Carton
COLOUR: WHITE RAL 9010				
NP 50 741	100	73x125	245	5
NP 50 742	130	73x125	245	5
NP 50 743	150	73x125	245	5
NP 50 744	200	73x125	245	5
COLOUR: GREY RAL 7035				
NP 50 745	100	73x125	245	5
NP 50 746	130	73x125	245	5
NP 50 747	150	73x125	245	5
NP 50 748	200	73x125	245	5

Device-holding boxes: NP50307 (4-gang).

NP50715



COVER WITH WINDOW, 12 MODULES, WITH TRANSPARENT DOOR - IP40 FOR PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING

Code	Lid size (mm)	Length (mm)	Pack Carton
NP 50 715	130	375	1
NP 50 716	150	375	1
NP 50 717	200	375	1

DEVICE-HOLDER BOXES

NP50302



DEVICE BOX - 52 MM DEEP - ITALIAN STANDARD: 3 GANG BR/FB RANGE

Code	Colour	Pack Carton
NP 50 302	Red	60

NP50305



BR/FB RANGE DEVICE BOX 52 MM DEEP 60 MM CENTRE DISTANCE

Code	Colour	Pack Carton
NP 50 305	Red	40

Allows for the installation of the following GEWISS components in combination with adaptor NP50692: IEC309 range industrial flush-mounting socket-outlets, watertight lids GW27401 for 20 SYSTEM range domestic devices, watertight lids GW66708 and GW66745 for Ø 22 mm push-buttons/indicators, ECO 60 International domestic range.

NP50307



DEVICE BOX - 52 MM DEEP - 4 GANG BR/FB RANGE

Code	Colour	Pack Carton
NP 50 307	Green	20

APPLICATIONS: suitable for mounting:- 2 ECO 60 range side-by-side components;
- 2 components with 60-mm centre distance;
- PLAYBUS range components combined with the GW32404 4-module framework.

NP 44/52 RANGE

NP50692



BR / FB RANGE ADAPTOR FOR GEWISS IEC 309 RANGE FIXED INDUSTRIAL FLUSH-MOUNTING SOCKET-OUTLETS COMPLETE WITH FIXING SCREWS

Code	Suitable for	Centre distance	Colour	Pack Carton
NP 50 692	Socket-outlets	85x75	White RAL 9010	10
NP 50 299	Socket-outlets	85x75	Grey RAL 7035	10

Allows for the installation of the following GEWISS components in combination with device box NP50305: IEC309 range industrial flush-mounting socket-outlets, with 16 A nominal current, watertight lids GW27401 and GW26408 for 20 SYSTEM range domestic devices, watertight lids GW66708 and GW66745 for Ø 22 mm push-buttons/indicators.

TECHNICAL CHARACTERISTICS FROM PAGE 1025


NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

NF - PVC TRUNKING

IP40 Surface mounting
IP20 Suspension



TRUNKING

NP44002



PVC SILL-TYPE TRUNKING WITH COVER FOR CEILING AND SURFACE MOUNTING - LENGTH: 2 METRES

Code	Dimension BxH (mm)	Section (mm ²)	Pack Carton
COLOUR: WHITE RAL 9010			
NP 44 002	25 x 25	360	42
NP 44 007	40 x 25	530	48
NP 44 012	30 x 30	580	48
NP 44 017	60 x 30	1040	30
NP 44 022	40 x 40	1100	32
NP 44 027	60 x 40	1550	24
NP 44 052	60 x 40	2x750	24
NP 44 032	90 x 40	2480	24
NP 44 057	90 x 40	2x1230	24
NP 44 037	60 x 60	2540	2/16
NP 44 042	90 x 60	4120	20

ROUTING COMPONENTS

NP44102



EXTERNAL CORNER

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 44 102	25 x 25	4
NP 44 107	40 x 25	4
NP 44 112	30 x 30	4
NP 44 117	60 x 30	4
NP 44 122	40 x 40	4
NP 44 127	60 x 40	4
NP 44 132	90 x 40 / 90 x 60	4
NP 44 137	60 x 60	4

NP44157



INTERNAL CORNER

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 44 157	25 x 25	4
NP 44 162	40 x 25	4
NP 44 167	30 x 30	4
NP 44 172	60 x 30	4
NP 44 177	40 x 40	4
NP 44 182	60 x 40	4
NP 44 187	90 x 40 / 90 x 60	4
NP 44 192	60 x 60	4

NP 44/52 RANGE

TECHNICAL CHARACTERISTICS FROM PAGE 1025

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

NP44212



FLAT ANGLE

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 44 212	25 x 25	4
NP 44 217	40 x 25	4
NP 44 222	30 x 30	4
NP 44 227	60 x 30	4
NP 44 232	40 x 40	4
NP 44 237	60 x 40	4
NP 44 242	90 x 40 / 90 x 60	4
NP 44 247	60 x 60	4

NP44267



T JUNCTION

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 44 267	25 x 25	4
NP 44 272	40 x 25	4
NP 44 277	30 x 30	4
NP 44 282	60 x 30	4
NP 44 287	40 x 40	4
NP 44 292	60 x 40	4
NP 44 297	90 x 40	4
NP 44 302	60 x 60	4
NP 44 307	90 x 60	4

NP44317



END COVER

Code	Dimension BxH (mm)	Pack Carton
COLOUR: WHITE RAL 9010		
NP 44 317	25 x 25	10
NP 44 322	40 x 25	10
NP 44 327	30 x 30	10
NP 44 332	60 x 30	10
NP 44 337	40 x 40	10
NP 44 342	60 x 40	10
NP 44 347	90 x 40	10
NP 44 352	60 x 60	10
NP 44 357	90 x 60	10

COMPLEMENTARY ITEMS




CABLE HOLDING CROSSPIECES

Code	Dimension L (mm)	Pack Carton
NP 44 401	40	50
NP 44 402	60	50
NP 44 403	90	50

CEILING MOUNTING ACCESSORIES

NP44406



ADJUSTABLE BRACKET FOR CEILING MOUNTING OF SILL-TYPE TRUNKING

Code	Suitable for	Colour	Pack Carton
NP 44 406	Trunking with base B=90-200	White RAL 9010	10

TECHNICAL CHARACTERISTICS FROM PAGE 1025

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

NP44405



2 MODULAR JOINTS FOR LINEAR AND ARTICULATED JOINING

Code	Suitable for	Colour	Pack Carton
NP 44 405	Trunkings with height H=40-80	White RAL 9010	10

HS - SHEET STEEL TRUNKING

TRUNKING

NP46004



SHEET STEEL SILL-TYPE TRUNKING WITH COVER FOR CEILING AND SURFACE MOUNTING - LENGTH: 2 METRES

Code	Dimension BxH (mm)	Section (mm ²)	Pack Carton
FINISH: GALVANIZED			
NP 46 004	15x15	200	54
NP 46 010	30x30	650	24
NP 46 016	40x40	1100	16
NP 46 022	60x40	1600	16
NP 46 028	60x60	2700	12
NP 46 034	100x60	5200	6
NP 46 040	150x60	7800	4
NP 46 046	200x60	10300	6
FINISH: WHITE RAL 9001			
NP 46 001	15x15	200	54
NP 46 007	30x30	650	24
NP 46 013	40x40	1100	16
NP 46 019	60x40	1600	16
NP 46 025	60x60	2700	12
NP 46 031	100x60	5200	6
NP 46 037	150x60	7800	4
NP 46 043	200x60	10300	6

ROUTING COMPONENTS

NP46158



INTERNAL CORNER

Code	Dimension BxH (mm)	Pack Carton
FINISH: GALVANIZED		
NP 46 158	15x15	1
NP 46 164	30x30	1
NP 46 170	40x40	1
NP 46 176	60x40	1
NP 46 182	60x60	1
NP 46 188	100x60	1
NP 46 194	150x60	1
NP 46 200	200x60	1
FINISH: WHITE RAL 9001		
NP 46 155	15x15	1
NP 46 161	30x30	1
NP 46 167	40x40	1
NP 46 173	60x40	1
NP 46 179	60x60	1
NP 46 185	100x60	1
NP 46 191	150x60	1
NP 46 197	200x60	1

NP 44/52 RANGE

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS

GEWISS

NP46104



EXTERNAL CORNER

Code	Dimension BxH (mm)	Pack Carton
FINISH: GALVANIZED		
NP 46 104	15x15	1
NP 46 110	30x30	1
NP 46 116	40x40	1
NP 46 122	60x40	1
NP 46 128	60x60	1
NP 46 134	100x60	1
NP 46 140	150x60	1
NP 46 146	200x60	1
FINISH: WHITE RAL 9001		
NP 46 101	15x15	1
NP 46 107	30x30	1
NP 46 113	40x40	1
NP 46 119	60x40	1
NP 46 125	60x60	1
NP 46 131	100x60	1
NP 46 137	150x60	1
NP 46 143	200x60	1


NP46212



FLAT ANGLE

Code	Dimension BxH (mm)	Pack Carton
FINISH: GALVANIZED		
NP 46 212	15X15	1
NP 46 218	30X30	1
NP 46 224	40X40	1
NP 46 230	60x40	1
NP 46 236	60x60	1
NP 46 242	100x60	1
NP 46 248	150x60	1
NP 46 254	200x60	1
FINISH: WHITE RAL 9001		
NP 46 209	15x15	1
NP 46 215	30x30	1
NP 46 221	40x40	1
NP 46 227	60x40	1
NP 46 233	60x60	1
NP 46 239	100x60	1
NP 46 245	150x60	1
NP 46 251	200x60	1

NP46266



T JUNCTION

Code	Dimension BxH (mm)	Pack Carton
FINISH: GALVANIZED		
NP 46 266	15x15	1
NP 46 272	30x30	1
NP 46 278	40x40	1
NP 46 284	60x40	1
NP 46 290	60x60	1
NP 46 296	100x60	1
NP 46 302	150x60	1
NP 46 308	200x60	1
FINISH: WHITE RAL 9001		
NP 46 263	15x15	1
NP 46 269	30x30	1
NP 46 275	40x40	1
NP 46 281	60x40	1
NP 46 287	60x60	1
NP 46 293	100x60	1
NP 46 299	150x60	1
NP 46 305	200x60	1

NP 44/52 RANGE

TECHNICAL CHARACTERISTICS FROM PAGE 1025

NP 44/52 RANGE

PVC SILL-TYPE AND DEVICE-MOUNTING TRUNKING SYSTEMS


GEWISS



NP46361

END COVER - PLASTIC


Code	Dimension BxH (mm)	Pack Carton
COLOUR: BLACK		
NP 46 361	15x15	10
NP 46 362	30x30	10
NP 46 363	40x40	10
NP 46 365	60x60	10
COLOUR: WHITE RAL 9001		
NP 50 242	100x60	10
NP 50 254	150x60	10
NP 50 260	200x60	10



NP46721

END COVER - PAINTED STEEL SHEET

Code	Dimension BxH (mm)	Pack Carton
FINISH: WHITE RAL 9001		
NP 46 721	15x15	5
NP 46 722	30x30	5
NP 46 723	40x40	5
NP 46 724	60x40	5
NP 46 725	60x60	5



NP46368

EDGE PROTECTOR - PLASTIC

Code	Dimension BxH (mm)	Material	Pack Carton
COLOUR: BLACK			
NP 46 368	15x15	PVC	25
NP 46 369	30x30	PVC	25
NP 46 370	40x40	PVC	25
NP 46 371	60x60	PVC	25



NP46367

END COVER

Code	From dim. LxH (mm)	To dim. LxH (mm)	Pack Carton
NP 46 367	30x30	15x15	10

ACCESSORIES



NP46381

LID REMOVING TOOL


Code	Suitable for HxB (mm)	Pack Carton
NP 46 381	All trunking	1



NP46383

COUPLING PIECE - BRASS

Code	Suitable for HxB (mm)	Pack Carton
NP 46 383	15x15	10
NP 46 384	30x30	10
NP 46 385	40x40	10
NP 46 386	60x40 - 60x60	10
NP 46 382	100x60	10



NP46387

COUPLING PIECE - STEEL

Code	Suitable for HxB (mm)	Pack Carton
NP 46 387	60x150	10
NP 46 388	200x60	10

NP 44/52 RANGE

TECHNICAL CHARACTERISTICS FROM PAGE 1025