






INDY 1



CUT-OFF OPTICS- ADJUSTABLE INCLINATION

WIRED VERSIONS WITH P.F. CORRECTION - FLAT GLASS IP65 - OPTICS
COMPARTMENT -IP43 ACCESSORIES COMPARTMENT - CLASS II

GW86901



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
VOLTAGE: 230 V - 50 Hz							
GW 86 901	125 W	QE	E27	1.15 A	Grey RAL 7035	6.3	1
GW 86 902	250 W	QE	E40	2.2 A	Grey RAL 7035	6.9	1
GW 86 903	70 W	SE-ST	E27	1 A	Grey RAL 7035	6.2	1
GW 86 904	100 W	SE-ST	E40	1.2 A	Grey RAL 7035	6.4	1
GW 86 905	150 W	SE-ST	E40	1.8 A	Grey RAL 7035	7.3	1
GW 86 906	250 W	ME-MT/SE-ST	E40	3 A	Grey RAL 7035	8.3	1
GW 86 907	250 W	ME* - MT*	E40	2.2 A	Grey RAL 7035	8	1

* Lamp with 0,7 ÷ 1KV striking voltage.
GW86903 SE type lamp: use lamps without built-in ignitor.

NON-WIRED VERSIONS

GW86941




Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 86 941	125 W	-	E27	-	Grey RAL 7035	5	1
GW 86 942	250 W	-	E40	-	Grey RAL 7035	5.1	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical components: lampholder with cables, supply terminal, divider. Devices are supplied with standard service items.

CUT-OFF OPTICS- ADJUSTABLE INCLINATION - BI-POWER

GW86175



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
VOLTAGE: 230 V - 50 Hz							
GW 86 175	80 - 125 W	QE	E27	0.8 - 1.15 A	Grey RAL 7035	6.5	1
GW 86 176	50 - 70 W	SE-ST	E27	0.7 - 1 A	Grey RAL 7035	6.5	1

NEW


SEMI CUT-OFF OPTICS- ADJUSTABLE INCLINATION

WIRED VERSIONS WITH P.F. CORRECTION - POLYCARBONATE BOWL -

IP65 OPTICS COMPARTMENT - IP43 ACCESSORIES COMPARTMENT - CLASS II



GW86911



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
VOLTAGE: 230 V - 50 Hz							
GW 86 911	125 W	QE	E27	1.15 A	Grey RAL 7035	5.8	1
GW 86 912	250 W	QE	E40	2.2 A	Grey RAL 7035	6.4	1
GW 86 913	70 W	SE-ST	E27	1 A	Grey RAL 7035	5.7	1
GW 86 914	100 W	SE-ST	E40	1.2 A	Grey RAL 7035	5.9	1
GW 86 915	150 W	SE-ST	E40	1.8 A	Grey RAL 7035	6.8	1
GW 86 916	250 W	ME-MT/SE-ST	E40	3 A	Grey RAL 7035	7.8	1
GW 86 917	250 W	ME* - MT*	E40	2.2 A	Grey RAL 7035	7.5	1

* Lamp with 0,7 = 1KV striking voltage.

GW86913 SE type lamp: use lamps without built-in ignitor.

NON-WIRED VERSIONS



GW86943



Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 86 943	125 W	-	E27	-	Grey RAL 7035	4.5	1
GW 86 944	250 W	-	E40	-	Grey RAL 7035	4.6	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical components: lampholder with cables, supply terminal, divider. Devices are supplied with standard service items.

SEMI CUT-OFF OPTICS- ADJUSTABLE INCLINATION - BI-POWER

WIRED VERSIONS WITH P.F. CORRECTION - POLYCARBONATE BOWL

IP65 OPTICS COMPARTMENT - IP43 ACCESSORIES COMPARTMENT - CLASS II







GW86173



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
VOLTAGE: 230 V - 50 Hz							
GW 86 173	80 - 125 W	QE	E27	0.8 - 1.15 A	Grey RAL 7035	6.3	1
GW 86 174	50 - 70 W	SE-ST	E27	0.7 - 1 A	Grey RAL 7035	6.3	1

NEW

INDY 2



INDY RANGE



CUT-OFF OPTICS - ADJUSTABLE INCLINATION

WIRED VERSIONS WITH P.F. CORRECTION - FLAT GLASS

IP65 OPTICS COMPARTMENT - IP43 ACCESSORIES COMPARTMENT - CLASS II



GW86925



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
VOLTAGE: 230 V - 50 Hz							
GW 86 925	150 W	ST	E40	1.8 A	Grey RAL 7035	8.8	1
GW 86 926	250 W	MT/ST	E40	3 A	Grey RAL 7035	9.2	1
GW 86 927	250 W	MT*	E40	2.2 A	Grey RAL 7035	8.9	1
GW 86 928	400 W	MT/ST	E40	4.2 A	Grey RAL 7035	11.5	1
GW 86 929	400 W	MT*	E40	3.4 A	Grey RAL 7035	11.2	1

* Lamp with 0,7 ÷ 1KV striking voltage.

NON-WIRED VERSION



GW86945



Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 86 945	400 W	-	E40	-	Grey RAL 7035	6.5	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical components: lampholder with cables, supply terminal, divider. Devices are supplied with standard service items.

NEW

SEMI CUT-OFF OPTICS- ADJUSTABLE INCLINATION



GW86932

WIRED VERSIONS WITH P.F. CORRECTION - POLYCARBONATE BOWL
IP65 OPTICS COMPARTMENT - IP43 ACCESSORIES COMPARTMENT - CLASS II



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
VOLTAGE: 230 V - 50 Hz							
GW 86 932	250 W	QE	E40	2.2 A	Grey RAL 7035	7.8	1
GW 86 935	150 W	SE-ST	E40	1.8 A	Grey RAL 7035	8.2	1
GW 86 936	250 W	ME-MT/SE-ST	E40	3 A	Grey RAL 7035	9	1
GW 86 937	250 W	ME* - MT*	E40	2.2 A	Grey RAL 7035	8.6	1

* Lamp with 0,7 ÷ 1KV striking voltage.

NON-WIRED VERSION



GW86946



Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 86 946	250 W	-	E40	-	Grey RAL 7035	5.6	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical components: lampholder with cables, supply terminal, divider. Devices are supplied with standard service items.

INDY RANGE - COMMON ARTICLES

COMPLEMENTARY ITEMS



GW86166

COMPLEMENTARY ITEMS FOR INSTALLATION

Code	Description	External Dim. LxHxD (mm)	Weight (Kg)	Pack Carton
GW 86 166	Fixing bracket	150x160x290	1.2	1

APPLICATIONS: suitable for all AVENUE, INDY, and CITY Range devices. Allows for installation of the device on walls and 90° corners.

SPARE PARTS

Code	Description	External Dim. LxHxD (mm)	Weight (Kg)	Pack Carton
GW 88 263	Bowl for INDY 1	425x280x95	0.4	1/2
GW 88 283	Glass for INDY 1	362x270	1.1	1/2
GW 88 264	Bowl for INDY 2	500x345x125	0.8	1/2
GW 88 265	Glass for INDY 2	435x335	1.5	1/2

NEW