

40 CD RANGE

SURFACE-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES



SELECTION GUIDE

40 CD RANGE

40 CDK RANGE - SURFACE-MOUNTING MODULAR WATERTIGHT ENCLOSURES AND DISTRIBUTION BOARDS

ENCLOSURES WITH SMOOTH WALLS				DISTRIBUTION BOARDS		
Protection class: IP 65 Colour: RAL 7035 grey Door: smoked transparent Doors: smooth				Protection class: IP 65 Colour: RAL 7035 grey Door: smoked transparent Doors: smooth		

COMPLEMENTARY ITEMS	No. modules	4	8	12	18	24 (12x2)	36 (12x3)	36 (18x2)
	Code	GW 40 101	GW 40 102	GW 40 103	GW 40 106	GW 40 104	GW 40 105	GW 40 107
INSTALLATION AND JOINTING								
Surface-mounting fixing brackets for enclosures and boards	4x	GW 44 621	4x	GW 44 621	4x	GW 44 621	4x	GW 44 621
Stylish coupling covers for conduit and trunking entry	-	-	-	GW 40 473	GW 40 474	GW 40 473	GW 40 473	GW 40 474
WIRING								
Insulated neutral and earth terminal blocks	-	GW 40 401	GW 40 402	GW 40 404	GW 40 402	GW 40 402	2x GW 40 402	2x GW 40 404
Internal horizontal dividers for CDK distribution boards	-	-	-	-	-	GW 40 487	2x GW 40 487	GW 40 488
1-module high blank cover panels for CDK boards	-	-	-	-	-	2x GW 40 492	3x GW 40 492	2x GW 40 493
MISCELLANEOUS								
Cylindrical safety lock	GW 40 422	GW 40 422	GW 40 422	GW 40 422	GW 40 422	GW 40 422	2x GW 40 422	GW 40 422
Triangular key	-	-	-	-	-	-	-	-



40 CD RANGE

SURFACE-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES



SELECTION GUIDE

40 CD RANGE

DISTRIBUTION BOARDS		40 CD RANGE - SURFACE-MOUNTING WATERTIGHT ENCLOSURES									
		ARRANGED FOR TERMINAL BLOCK HOUSING					EQUIPPED WITH TERMINAL BLOCKS				
		Protection class: IP 55 Colour: RAL 7035 grey Door: smoked transparent Doors: with knockout holes					Protection class: IP 55 Colour: RAL 7035 grey Door: smoked transparent Doors: with knockout holes				
											
54 (18x3)	72 (18x4)	4	8	12	24 (12x2)	36 (18x2)	12	24 (12x2)	36 (18x2)		
GW 40 108	GW 40 109	GW 40 001	GW 40 003	GW 40 005	GW 40 007	GW 40 009	GW 40 004	GW 40 006	GW 40 008		
4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621		
GW 40 474	GW 40 474	-	-	-	-	-	-	-	-		
2x GW 40 404	2x GW 40 404	-	GW 40 401	GW 40 402	2x GW 40 401	2x GW 40 402	supplied	supplied	supplied		
2x GW 40 488	3x GW 40 488	-	-	-	-	-	-	-	-		
3x GW 40 493	4x GW 40 493	-	-	-	-	-	-	-	-		
2x GW 40 422	2x GW 40 422	-	-	-	-	-	-	-	-		
-	-	-	-	GW 40 421	GW 40 421	GW 40 421	GW 40 421	GW 40 421	GW 40 421		

40 CD RANGE

SURFACE-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES



SELECTION GUIDE

40 CD RANGE

40 CD RANGE - SURFACE-MOUNTING DECORATIVE PROTECTED ENCLOSURES

ARRANGED FOR TERMINAL BLOCK HOUSING							EQUIPPED WITH	
Protection class: IP 40 Colour: RAL 9016 white			Door: smoked transparent Doors: smooth				Protection class: IP 40 Colour: RAL 9016 white Door: smoked transparent Walls: smooth	

COMPLEMENTARY ITEMS	No. modules	8	12	24 (12x2)	36 (18x2)	54 (18x3)	72 (18x4)	12	24 (12x2)
	Code	GW 40 043	GW 40 045	GW 40 047	GW 40 049	GW 40 051	GW 40 053	GW 40 044	GW 40 046
INSTALLATION AND JOINTING									
Surface-mounting fixing brackets for enclosures and boards	4x	4x	4x	4x	4x	4x	4x	4x	4x
GW 44 621	GW 44 621	GW 44 621	GW 44 621	GW 44 621	GW 44 621	GW 44 621	GW 44 621	GW 44 621	GW 44 621
Stylish coupling covers for conduit and trunking entry	-	-	-	-	-	-	-	-	-
WIRING									
Insulated neutral and earth terminal blocks	GW 40 401	GW 40 402	2x GW 40 401	2x GW 40 402	2x GW 40 402	4x GW 40 402	supplied	supplied	
Internal horizontal dividers for CDK distribution boards	-	-	-	-	-	-	-	-	-
1-module high blank cover panels for CDK boards	-	-	-	-	-	-	-	-	-
MISCELLANEOUS									
Metal cylinder security lock	GW 40 422	GW 40 422	GW 40 422	GW 40 422	GW 40 422	2x GW 40 422	GW 40 422	GW 40 422	GW 40 422
Triangular key	-	-	-	-	-	-	-	-	-

40 CD RANGE

SURFACE-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES



SELECTION GUIDE

40 CD RANGE - SURFACE-MOUNTING PROTECTED ENCLOSURES

TERMINAL BLOCK	ARRANGED FOR TERMINAL BLOCK HOUSING							EQUIPPED WITH TERMINAL BLOCKS		
	Protection class: IP 40 Colour: RAL 7035 grey		Without door Doors: with knockout holes					Protection class: IP 40 Colour: RAL 7035 grey		Without door Walls: with knockout holes
36 (18x2)	2	4	6	8	12+1	24+2 (12x2)	36+3 (12x3)	12+1	24+2 (12x2)	36+3 (12x3)
GW 40 048	GW 40 022	GW 40 023	GW 40 024	GW 40 026	GW 40 028	GW 40 030	GW 40 032	GW 40 027	GW 40 029	GW 40 031
4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621	4x GW 44 621
-	-	-	-	-	-	-	-	-	-	-
supplied	-	-	-	GW 40 401	GW 40 402	2x GW 40 401	2x GW 40 402	supplied	supplied	supplied
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
GW 40 422	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-

40 CD RANGE